



US00D763159S

(12) **United States Design Patent**
Valencia Pollex

(10) **Patent No.:** **US D763,159 S**
(45) **Date of Patent:** **** Aug. 9, 2016**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/528,370**

(22) Filed: **May 28, 2015**

(30) **Foreign Application Priority Data**

Dec. 11, 2014 (EM) 002 595 306-0004

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/209**

(58) **Field of Classification Search**

USPC D12/204–213

CPC B60B 7/002; B60B 7/02; B60B 7/04;
B60B 7/01; B60B 7/06; B60B 3/02; B60B
3/04; B60B 3/06; B60B 3/10; B60B 1/00;
B60B 1/08; B60B 1/10; B60B 1/12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D351,581 S * 10/1994 Chung D12/209
D428,377 S * 7/2000 Kubosaki D12/209
D451,065 S * 11/2001 Braun D12/211
D451,460 S * 12/2001 Arellano D12/209
D581,337 S * 11/2008 Juergens D12/209

D619,524 S * 7/2010 Gabath D12/209
D619,951 S * 7/2010 Baum D12/209
D631,812 S * 2/2011 Juergens D12/209
D631,814 S * 2/2011 Baum D12/209
D654,842 S * 2/2012 Blasi D12/209
D655,660 S * 3/2012 Stucki D12/209
D671,474 S * 11/2012 Juergens D12/209
D671,478 S * 11/2012 Baum D12/209
D671,877 S * 12/2012 Roura D12/209
D673,097 S * 12/2012 Lemke D12/209
D682,176 S * 5/2013 Badstuebner D12/209
D685,710 S * 7/2013 Hanaoka D12/204
D686,133 S * 7/2013 Juergens D12/209
D695,184 S * 12/2013 Pollmann D12/209
D695,191 S * 12/2013 Kogawa D12/209
D705,714 S * 5/2014 Hanaoka D12/209
D723,989 S * 3/2015 Morikawa D12/209
D734,235 S * 7/2015 Juergens D12/209
D740,191 S * 10/2015 Webber D12/209
D744,927 S * 12/2015 Morgenstern D12/209
D751,016 S * 3/2016 Valencia Pollex D12/209
D751,021 S * 3/2016 Vaya D12/211
D752,499 S * 3/2016 Sze D12/211

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;
Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,

FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets







Fig. 1



Fig. 2