



US00D763166S

(12) **United States Design Patent**
Berson

(10) **Patent No.:** **US D763,166 S**

(45) **Date of Patent:** **** Aug. 9, 2016**

(54) **ROTATING GRIP**

(71) Applicant: **Steven B. Berson**, Morrisville, VT (US)

(72) Inventor: **Steven B. Berson**, Morrisville, VT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/501,241**

(22) Filed: **Sep. 2, 2014**

(51) **LOC (10) Cl.** **12-06**

(52) **U.S. Cl.**
USPC **D12/215**

(58) **Field of Classification Search**
USPC D12/215; D8/1, 7, 10, 13, 300, 303,
D8/310; D21/756, 804, 806, 807, 681, 684
CPC B63H 16/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,913,727 A * 11/1959 Smith B63H 16/04
416/72
- 3,384,370 A * 5/1968 Bailey A63B 21/0724
482/106
- 4,690,400 A * 9/1987 Metz A63B 21/015
482/106
- 4,822,035 A * 4/1989 Jennings A63B 21/0724
482/106
- D301,510 S * 6/1989 Orak D21/684
- RE33,218 E * 5/1990 Twardosz A63B 21/0724
482/106
- 5,024,434 A * 6/1991 Smith A63B 21/0724
482/106
- 5,211,616 A * 5/1993 Riley, Jr. A63B 21/072
482/106
- 5,407,405 A * 4/1995 Oren A63B 7/02
482/106
- 6,022,300 A * 2/2000 Hightower A63B 21/0724
482/106
- D480,438 S * 10/2003 Walkow D21/681
- D520,575 S * 5/2006 Diakonov D21/679
- 7,862,486 B1 * 1/2011 Watson A63B 21/0724
482/106
- D658,729 S * 5/2012 McLoughney D21/682

- 8,317,558 B2 * 11/2012 Bucknell B63H 16/04
416/74
- 8,556,782 B2 * 10/2013 Cen A63B 21/072
482/106
- 8,672,815 B1 * 3/2014 Springer A63B 21/0724
482/106
- 8,845,500 B2 * 9/2014 Huang A63B 21/015
482/121
- 2005/0153606 A1 * 7/2005 Lane B63H 16/04
440/101
- 2005/0202942 A1 * 9/2005 De Lano A63B 21/0724
482/107
- 2008/0176723 A1 * 7/2008 Johnson A63B 21/0724
482/106
- 2010/0124859 A1 * 5/2010 Bucknell B63H 16/04
440/101
- 2013/0045099 A1 2/2013 Bicknell

* cited by examiner

Primary Examiner — George D Kirschbaum

Assistant Examiner — Clese Moore, Jr.

(74) *Attorney, Agent, or Firm* — Thomas G. Ference


(57) **CLAIM**

The ornamental design for a rotating grip, as shown and described.

DESCRIPTION

FIG. 1 is a front, right-side, bottom perspective view of the rotating grip showing my new design;
 FIG. 2 is a top view, with the opposite side a mirror image thereof;
 FIG. 3 is a front view, with the opposite side a mirror image thereof;
 FIG. 4 is a right side view, with the opposite side a mirror image thereof;
 FIG. 5 is a front view thereof with the grip rotated 45-degrees; and,
 FIG. 6 is a front, top perspective view of the rotating grip with the grip rotated at a different angle shown attached to a paddle.
 The broken lines shown FIG. 6, illustrate environmental structure that form no part of the claimed design.

1 Claim, 6 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6