



US00D763237S

(12) **United States Design Patent**
Behar

(10) **Patent No.:** **US D763,237 S**
(45) **Date of Patent:** **** Aug. 9, 2016**

(54) **STAND FOR TELEVISION RECEIVER**

D681,644 S * 5/2013 Meadows D14/447
D703,217 S * 4/2014 Green D14/447
D705,785 S * 5/2014 Wang D14/447

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

FOREIGN PATENT DOCUMENTS

(72) Inventor: **Yves Behar**, San Francisco, CA (US)

CN 302630829 S 11/2013
JP D1332681 6/2008
JP D1453432 10/2012
KR 30-2009-0057683 5/2011

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

OTHER PUBLICATIONS

(**) Term: **15 Years**

“16—E1659FWU”[2015] www.us.aoc.com. Apr. 6, 2015 <http://us.aoc.com/monitor_displays/e1659fwu>.

(21) Appl. No.: **29/530,234**

* cited by examiner

(22) Filed: **Jun. 15, 2015**

Primary Examiner — Randall Gholson
(74) *Attorney, Agent, or Firm* — NSIP Law

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Jan. 30, 2015 (KR) 30-2015-0005234

I claim the ornamental design for a stand for television receiver, as shown and described.

(51) **LOC (10) Cl.** **14-03**

DESCRIPTION

(52) **U.S. Cl.**
USPC **D14/239**

(58) **Field of Classification Search**
USPC D14/125–134, 239, 371, 136, 374–377,
D14/440, 450, 448, 336, 342, 159; 312/7.2;
348/836, 838, 180, 184, 325, 739;
248/917–924, 465; 345/104, 133, 156,
345/168, 87, 173; D21/329, 515, 577, 622,
D21/333, 433, 448, 452, 450, 331, 505;
D10/15, 26; 446/484, 175, 356;
D6/477, 479, 300; D24/185; D34/14
CPC ... G06F 1/1601; G06F 1/1643; H05K 5/0004;
H05K 5/0017; H05K 5/02; H05K 5/0217
See application file for complete search history.

FIG. 1 is a front perspective view of a stand for television receiver showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view of the stand for television receiver shown in an alternate position in which a television receiver is provided in broken lines to illustrate an example environment;
FIG. 9 is another perspective view of the stand for television receiver shown in an alternate position in which a television receiver is provided in broken lines to illustrate an example environment;
FIG. 10 is another perspective view of the stand for television receiver shown in an alternate position in which a television receiver is provided in broken lines to illustrate an example environment; and,
FIG. 11 is another perspective view of the stand for television receiver shown in an alternate position in which a television receiver is provided in broken lines to illustrate an example environment.
The broken lines in the figures show portions of the stand for television receiver which form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D620,933 S * 8/2010 Ludlum D14/371
D667,012 S * 9/2012 Chen D14/447
D680,547 S * 4/2013 Williams D14/447
D681,636 S * 5/2013 Haller D14/377
D681,642 S * 5/2013 Meadows D14/447

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

