



US00D763320S

(12) **United States Design Patent**
Swiatek et al.

(10) **Patent No.:** **US D763,320 S**

(45) **Date of Patent:** **** *Aug. 9, 2016**

(54) **SCULPTED IMPELLER**

(71) Applicant: **Cameron International Corporation**,
Houston, TX (US)

(72) Inventors: **Chester V. Swiatek**, Amherst, NY (US);
Mikhail Grigoriev, East Amherst, NY
(US); **James Hitt**, Lancaster, NY (US)

(73) Assignee: **Ingersoll-Rand Company**, Davidson,
NC (US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/492,727**

(22) Filed: **Jun. 2, 2014**

Related U.S. Application Data

(63) Continuation of application No. 13/113,898, filed on
May 23, 2011, now Pat. No. 8,951,009.

(51) **LOC (10) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**

USPC D15/7-9; D23/231, 232; 417/410.1,
417/359, 415-416, 234, 321, 265, 405;
416/223 B, 188, 185, 203, 183;
415/181, 204, 173.7

CPC F01D 5/14; F01D 5/12; F01D 5/04;
F01D 25/24; F02B 33/40; F04D 29/42;
F04D 29/30; F04D 29/44; F01N 7/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,465,671 A * 3/1949 Van Millingen et al. 416/188
3,363,832 A 1/1968 Groff

4,093,401 A 6/1978 Gravelle
4,167,369 A 9/1979 Ishihara
4,652,212 A 3/1987 Burger et al.
4,653,976 A 3/1987 Blair et al.
5,112,195 A 5/1992 Cox
5,639,217 A * 6/1997 Ohtsuki et al. 416/183
5,730,582 A 3/1998 Heitmann
6,017,187 A * 1/2000 Mueller 415/208.1
6,629,818 B2 * 10/2003 Svoboda 415/121.1
6,881,035 B1 * 4/2005 Paulsen 416/183
7,147,433 B2 12/2006 Ghizawi
D554,150 S * 10/2007 Fausett et al. D15/5
D583,391 S * 12/2008 Metcalfe D15/7
7,517,193 B2 4/2009 Higashimori

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1386983 12/2002
GB 2127905 4/1984

(Continued)

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Taft Stettinius & Hollister
LLP

(57) **CLAIM**


The ornamental design for a sculpted impeller, as shown and
described.

DESCRIPTION

FIG. 1 illustrates a perspective view of the design for the
sculpted impeller, wherein the sculpted impeller includes a
plurality of impeller blades each having a sculpted portion
with a nonlinear profile extending between a shroud intersect
surface at a shroud and a hub intersect surface at a hub.

In this drawing, the solid lines illustrate the claimed ornamental
design, whereas the broken lines illustrate environmental
features that form no part of the claimed ornamental design of
the subject embodiment.

1 Claim, 1 Drawing Sheet



(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

7,563,074 B2 7/2009 Xu
7,628,586 B2 12/2009 Feher
8,083,475 B2 * 12/2011 Bulgrin et al. 415/173.7
8,128,360 B2 * 3/2012 Sensel et al. 415/225
D659,719 S * 5/2012 Austin et al. D15/9
8,529,210 B2 * 9/2013 Merritt et al. 416/223 B
8,579,591 B2 * 11/2013 Ho et al. 416/203
2005/0260074 A1 11/2005 Higashimori
2007/0059179 A1 3/2007 Xu
2007/0267527 A1 11/2007 Graham et al.

JP 358119998 7/1983
JP 11022695 1/1999
JP 411022695 1/1999
JP 2002021574 1/2002
JP 2002332993 11/2002
JP 2004044473 2/2004
WO 2010103055 9/2010

* cited by examiner

