



US00D763320S

(12) **United States Design Patent**
Swiatek et al.

(10) **Patent No.:** **US D763,320 S**

(45) **Date of Patent:** **** *Aug. 9, 2016**

- (54) **SCULPTED IMPELLER**
- (71) Applicant: **Cameron International Corporation**,
Houston, TX (US)
- (72) Inventors: **Chester V. Swiatek**, Amherst, NY (US);
Mikhail Grigoriev, East Amherst, NY
(US); **James Hitt**, Lancaster, NY (US)
- (73) Assignee: **Ingersoll-Rand Company**, Davidson,
NC (US)
- (*) Notice: This patent is subject to a terminal dis-
claimer.
- (**) Term: **14 Years**
- (21) Appl. No.: **29/492,727**
- (22) Filed: **Jun. 2, 2014**

4,093,401	A	6/1978	Gravelle	
4,167,369	A	9/1979	Ishihara	
4,652,212	A	3/1987	Burger et al.	
4,653,976	A	3/1987	Blair et al.	
5,112,195	A	5/1992	Cox	
5,639,217	A *	6/1997	Ohtsuki et al.	416/183
5,730,582	A	3/1998	Heitmann	
6,017,187	A *	1/2000	Mueller	415/208.1
6,629,818	B2 *	10/2003	Svoboda	415/121.1
6,881,035	B1 *	4/2005	Paulsen	416/183
7,147,433	B2	12/2006	Ghizawi	
D554,150	S *	10/2007	Fausett et al.	D15/5
D583,391	S *	12/2008	Metcalf	D15/7
7,517,193	B2	4/2009	Higashimori	

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1386983	12/2002
GB	2127905	4/1984

(Continued)

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Taft Stettinius & Hollister
LLP

Related U.S. Application Data

- (63) Continuation of application No. 13/113,898, filed on
May 23, 2011, now Pat. No. 8,951,009.
- (51) **LOC (10) Cl.** **15-02**
- (52) **U.S. Cl.**
USPC **D15/7**
- (58) **Field of Classification Search**
USPC D15/7-9; D23/231, 232; 417/410.1,
417/359, 415-416, 234, 321, 265, 405;
416/223 B, 188, 185, 203, 183;
415/181, 204, 173.7
CPC F01D 5/14; F01D 5/12; F01D 5/04;
F01D 25/24; F02B 33/40; F04D 29/42;
F04D 29/30; F04D 29/44; F01N 7/10
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a sculpted impeller, as shown and
described.

DESCRIPTION

FIG. 1 illustrates a perspective view of the design for the
sculpted impeller, wherein the sculpted impeller includes a
plurality of impeller blades each having a sculpted portion
with a nonlinear profile extending between a shroud intersect
surface at a shroud and a hub intersect surface at a hub.


In this drawing, the solid lines illustrate the claimed ornamental
design, whereas the broken lines illustrate environmental
features that form no part of the claimed ornamental design of
the subject embodiment.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,465,671	A *	3/1949	Van Millingen et al.	416/188
3,363,832	A	1/1968	Groff		

1 Claim, 1 Drawing Sheet



(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS

7,563,074 B2 7/2009 Xu
7,628,586 B2 12/2009 Feher
8,083,475 B2 * 12/2011 Bulgrin et al. 415/173.7
8,128,360 B2 * 3/2012 Sensel et al. 415/225
D659,719 S * 5/2012 Austin et al. D15/9
8,529,210 B2 * 9/2013 Merritt et al. 416/223 B
8,579,591 B2 * 11/2013 Ho et al. 416/203
2005/0260074 A1 11/2005 Higashimori
2007/0059179 A1 3/2007 Xu
2007/0267527 A1 11/2007 Graham et al.

JP 358119998 7/1983
JP 11022695 1/1999
JP 411022695 1/1999
JP 2002021574 1/2002
JP 2002332993 11/2002
JP 2004044473 2/2004
WO 2010103055 9/2010

* cited by examiner

