

US00D763527S

(12) **United States Design Patent**
Choi et al.

(10) **Patent No.:** **US D763,527 S**
(45) **Date of Patent:** **** Aug. 9, 2016**

(54) **LINT TRAP**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Hyoung-Sub Choi**, Goyang-si (KR);
Jung-Hoon Hwang, Yongin-si (KR);
Deok-Sang Yun, Ahnsan-Si (KR)

(73) Assignee: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

D482,827 S * 11/2003 Storer D32/21
D517,757 S 3/2006 Santiago
D531,769 S * 11/2006 Lin D32/21
7,140,068 B1 11/2006 Baan et al.
D533,321 S * 12/2006 Peng D32/21
D533,694 S * 12/2006 Cheng D32/21
D549,892 S * 8/2007 Lin D32/1
D566,350 S * 4/2008 Leasure D32/21
D632,854 S * 2/2011 Witter D32/21
D634,904 S * 3/2011 Preda D32/25
D654,642 S * 2/2012 Preda D32/25
D668,409 S * 10/2012 Witter D32/31

(Continued)

(**) Term: **14 Years**

(21) Appl. No.: **29/522,747**

(22) Filed: **Apr. 2, 2015**

(30) **Foreign Application Priority Data**

Oct. 8, 2014 (KR) 30-2014-0048486

(51) **LOC (10) Cl.** **15-05**

(52) **U.S. Cl.**
USPC **D32/25**

(58) **Field of Classification Search**
USPC D32/1, 21, 23, 25, 31, 32, 33
CPC D06F 58/20; D06F 58/22; B01D 46/10;
F26B 25/007
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,403,416 A * 7/1946 Vandegriff D06F 58/22
34/82
2,509,300 A * 5/1950 Hendrickson D06F 58/22
34/82
3,378,934 A * 4/1968 Erickson D06F 58/22
34/82
D236,319 S * 8/1975 Jakubowski D32/21
D281,271 S * 11/1985 Meyer D23/365
D289,096 S * 3/1987 Larsen D32/21
D407,870 S * 4/1999 Pappas D32/25

FOREIGN PATENT DOCUMENTS

KR 30-2011-0012593 3/2013
KR 30-2013-0007167 4/2014
KR 30-2013-0007168 4/2014

Primary Examiner — T. Chase Nelson
Assistant Examiner — Michelle E Wilson
(74) *Attorney, Agent, or Firm* — NSIP Law


(57) **CLAIM**

We claim the ornamental design for a lint trap, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a lint trap showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left-side view thereof;
FIG. 5 is a right-side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a rear perspective view thereof; and,
FIG. 9 is a cross-sectional view taken along line 9-9 of FIG. 6 thereof.
The broken lines in the figures show portions of the lint trap which form no part of the claimed design.

1 Claim, 9 Drawing Sheets



US D763,527 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------------|---------|----------------|----------------------|
| 2005/0252022 A1* | 11/2005 | Tyau | F26B 25/07 34/82 |
| 2014/0165415 A1* | 6/2014 | Tarifi | D06F 58/20 34/82 |
| 2005/0160708 A1* | 7/2005 | Iantorno | B01D 46/10 55/482 |

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

