



US00D763687S

(12) **United States Design Patent**
Rodman et al.

(10) **Patent No.:** **US D763,687 S**

(45) **Date of Patent:** **** Aug. 16, 2016**

(54) **SET OF CLOSURES**

6,168,312 B1 1/2001 Haussein
6,296,388 B1 10/2001 Galomb
6,957,914 B2 * 10/2005 Arends B65D 33/06
383/204

(71) Applicant: **Ecolean AB**, Helsingborg (SE)

(Continued)

(72) Inventors: **Lars Rodman**, Bjärred (SE); **Bengt Jönsson**, Vallåkra (SE)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Ecolean AB**, Helsingborg (SE)

CH 70 1361 A1 12/2010
DE 42 13 397 A1 10/1993

(**) Term: **14 Years**

(Continued)

(21) Appl. No.: **29/489,850**

OTHER PUBLICATIONS

(22) Filed: **May 2, 2014**

PCT International-Type Search Report mailed Jun. 1, 2011, issued in corresponding Swedish Application No. 1051188-9, filed Nov. 11, 2010, 6 pages.

(30) **Foreign Application Priority Data**

(Continued)

Nov. 7, 2013 (EM) 002340455-0005

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/443**

(58) **Field of Classification Search**
USPC D9/434, 435, 436, 438, 443, 449, 457,
D9/499
CPC B65D 33/16
See application file for complete search history.

Primary Examiner — Robert M Spear

(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a set of closures, as shown and described.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,727,829 A 4/1973 Hüni
3,815,810 A 6/1974 Wellman
3,877,352 A * 4/1975 Brieske B65D 33/10
383/28
5,088,667 A * 2/1992 Olson B65F 1/1415
248/101
5,501,378 A * 3/1996 Kolton A47G 25/743
223/85
5,692,837 A 12/1997 Beer
6,047,883 A 4/2000 Calvert
6,082,897 A 7/2000 Galomb
D430,490 S * 9/2000 DuCorday D9/443
6,116,424 A * 9/2000 Leu B65D 33/001
206/554

FIG. 1 is a top perspective view of a set of closures of the present design;


FIG. 2 is a bottom perspective view of the design of FIG. 1; FIG. 3 is an end view of the design of FIG. 1 taken from the left-hand end of FIG. 2;

FIG. 4 is a side elevational view of the design of FIG. 1; FIG. 5 is a side elevational view of the design of FIG. 1 taken from the right-hand side of FIG. 2;

FIG. 6 is a top view of FIG. 1; and, FIG. 7 is a bottom view of FIG. 1.

The broken lines in the drawings depict boundaries of the claim and form no part thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,040,582 B2 * 5/2006 Rosler B65D 33/14
248/101
8,136,209 B1 * 3/2012 Willison G09F 17/00
16/430
2004/0208399 A1 10/2004 Linneweil
2005/0031228 A1 2/2005 Galomb
2014/0003744 A1 * 1/2014 Jonsson B65D 33/1675
383/42

FOREIGN PATENT DOCUMENTS

DE 299 02 988 U1 6/1999
DE 10 2006 029 119 A1 7/2007

DE 102006005740 A1 8/2007
EP 1 048 580 A2 11/2000
EP 1 997 745 A1 12/2008
JP 6-127557 A 5/1994
WO 2004/092022 A2 10/2004
WO 2010/047645 A1 4/2010

OTHER PUBLICATIONS

PCT International-Type Search Report mailed Jul. 5, 2011, issued in corresponding Swedish Application No. 1150053-5, filed Jan. 26, 2011, 10 pages.

International Search Report and Written Opinion mailed Feb. 3, 2012, issued in corresponding International Application No. PCT/EP2011/069749, filed Nov. 9, 2011, 11 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7