



US00D763743S

(12) **United States Design Patent**
Hatton

(10) **Patent No.:** **US D763,743 S**
(45) **Date of Patent:** **** Aug. 16, 2016**

(54) **VEHICLE REAR END UNIT**

- (71) Applicant: **Jaguar Land Rover Limited**, Coventry (GB)
- (72) Inventor: **Adam Hatton**, Coventry (GB)
- (73) Assignee: **Jaguar Land Rover Limited** (GB)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/501,494**
- (22) Filed: **Sep. 4, 2014**
- (30) **Foreign Application Priority Data**

Mar. 4, 2014 (EM) 002417659

- (51) **LOC (10) Cl.** **12-16**
- (52) **U.S. Cl.**
USPC **D12/164; D12/169**
- (58) **Field of Classification Search**
USPC D12/86, 90-92, 164; D21/421, 433,
D21/434; 296/181.1, 181.5
CPC B62D 35/00; B62D 25/00; B62D 25/06;
B62D 33/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D717,698 S * 11/2014 Beaven D12/92
- D736,127 S * 8/2015 Hammoud D12/169
- D738,268 S * 9/2015 Blanski D12/169
- D740,177 S * 10/2015 Callum D12/92

(Continued)

Primary Examiner — Melody N Brown

(74) *Attorney, Agent, or Firm* — Fishman Stewart PLLC

(57) **CLAIM**

The ornamental design for a vehicle rear end unit, as shown and described.



DESCRIPTION

FIG. 1 is a left rear perspective view of a first embodiment of a vehicle rear end unit;

FIG. 2 is a right rear perspective view of a first embodiment of a vehicle rear end unit;
 FIG. 3 is a left side view of a first embodiment of a vehicle rear end unit;
 FIG. 4 is a right side view of a first embodiment of a vehicle rear end unit;
 FIG. 5 is a rear view of a first embodiment of a vehicle rear end unit;
 FIG. 6 is a top view of a first embodiment of a vehicle rear end unit;
 FIG. 7 is a left rear perspective view of a second embodiment of a vehicle rear end unit;
 FIG. 8 is a right rear perspective view of a second embodiment of a vehicle rear end unit;
 FIG. 9 is a left side view of a second embodiment of a vehicle rear end unit;
 FIG. 10 is a right side view of a second embodiment of a vehicle rear end unit;
 FIG. 11 is a rear view of a second embodiment of a vehicle rear end unit;
 FIG. 12 is a top view of a second embodiment of a vehicle rear end unit;
 FIG. 13 is a left rear perspective view of a third embodiment of a vehicle rear end unit;
 FIG. 14 is a right rear perspective view of a third embodiment of a vehicle rear end unit;
 FIG. 15 is a left side view of a third embodiment of a vehicle rear end unit;
 FIG. 16 is a right side view of a third embodiment of a vehicle rear end unit;
 FIG. 17 is a rear view of a third embodiment of a vehicle rear end unit; and
 FIG. 18 is a top view of a third embodiment of a vehicle rear end unit.

Portions of the figures shown in dashed lines are for illustrative purposes only and form no part of the claimed design. Portions of the figures shown in diagonal lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 18 Drawing Sheets



US D763,743 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D741,226 S	*	10/2015	Callum	D12/92	
D744,902 S	*	12/2015	Callum	D12/92	* cited by examiner
D744,903 S	*	12/2015	Jelec	D12/92	
D746,188 S	*	12/2015	Nakagawa	D12/169	
D748,535 S	*	2/2016	Hatton	D12/92	




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16



FIG. 17




FIG. 18