



US00D763784S

(12) **United States Design Patent**
Mathonet et al.

(10) **Patent No.:** **US D763,784 S**
(45) **Date of Patent:** **** Aug. 16, 2016**

(54) **TIRE**

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(72) Inventors: **Vincent Benoit Mathonet, Harze (BE); Philippe Joseph Auguste Muller, Champlon (BE); Marc Becker, Konz (DE); Albert Maurice Pol Ghislain Lerusse, Bastogne (BE)**

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(**) Term: **14 Years**

(21) Appl. No.: **29/517,357**

(22) Filed: **Feb. 12, 2015**

(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/603**

(58) **Field of Classification Search**
USPC D12/500–579, 580–604, 900
CPC B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D360,857 S *	8/1995	Hermann		D12/598
D370,439 S	6/1996	Feider et al.		D12/141
D379,789 S *	6/1997	Schuster		D12/598
D388,370 S	12/1997	Young et al.		D12/146
D397,647 S	9/1998	Young		D12/146
D425,830 S *	5/2000	Young		D12/602
D448,707 S	10/2001	Maziarka et al.		D12/147
D451,860 S	12/2001	Schuster et al.		D12/147
D458,582 S	6/2002	Rodicq et al.		D12/586
D459,295 S	6/2002	Rodicq et al.		D12/590
D481,670 S	11/2003	Harden, Jr. et al.		D12/595
D481,992 S	11/2003	Harden, Jr. et al.		D12/595
D511,741 S	11/2005	Cazin-		
		Bourguignon et al.		D12/601
D512,684 S *	12/2005	Robert		D12/583

D514,504 S *	2/2006	Robert		D12/583
D541,737 S	5/2007	Cazin-		
		Bourguignon et al.		D12/600
D548,175 S *	8/2007	Martin		D12/603
D583,309 S	12/2008	Licht et al.		D12/588
D583,312 S *	12/2008	Murphy		D12/596
D592,589 S	5/2009	Dixon et al.		D12/600
D598,370 S	8/2009	Beha		D12/602
D604,230 S	11/2009	Brown et al.		D12/588
D605,107 S	12/2009	Ludwig et al.		D12/588
D605,108 S	12/2009	Brown et al.		D12/588
D609,169 S	2/2010	Feider		D12/588
D609,175 S	2/2010	Feider et al.		D12/600
D610,974 S *	3/2010	Hagiwara		D12/583
D613,680 S	4/2010	Dixon et al.		D12/588
D618,613 S *	6/2010	Vandaele		D12/600
D619,085 S	7/2010	Murphy et al.		D12/591
D619,530 S	7/2010	Murphy et al.		D12/591
D640,968 S	7/2011	Cazin-		
		Bourguignon et al.		D12/583
D644,600 S	9/2011	Nicolas et al.		D12/602
D647,040 S	10/2011	Mathonet et al.		D12/588
D674,740 S	1/2013	Mathonet et al.		D12/588
D730,813 S *	6/2015	Yamamoto		D12/583
D738,811 S *	9/2015	Drake		D12/583
D748,045 S *	1/2016	Kitamura		D12/584

OTHER PUBLICATIONS

GT Radial—GT888 Regional Trailer Tire found online [Feb. 26, 2016] <http://www.gtradial.com/global/Tire-Details/GT888>.*

* cited by examiner

Primary Examiner — Robert M Spear

Assistant Examiner — John Voytek

(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary front elevational view thereof.

1 Claim, 4 Drawing Sheets







FIG 1



FIG 2



FIG 3




FIG 4