



US00D763804S

(12) **United States Design Patent**
Sakamoto et al.

(10) **Patent No.:** **US D763,804 S**
(45) **Date of Patent:** **** Aug. 16, 2016**

(54) **PLATE FOR HEAT EXCHANGER**
(71) Applicant: **Kobe Steel, Ltd.**, Kobe-shi (JP)
(72) Inventors: **Kazuki Sakamoto**, Kobe (JP); **Akio Okamoto**, Shinagawa-ku (JP); **Yoshio Itsumi**, Takasago (JP); **Hideto Oyama**, Takasago (JP); **Keitaro Tamura**, Takasago (JP); **Yasuyuki Fujii**, Kobe (JP)
(73) Assignee: **Kobe Steel, Ltd.**, Kobe-shi (JP)
(**) Term: **14 Years**

D586,763 S * 2/2009 Hua D13/179
D657,856 S * 4/2012 Hwang D23/330
8,276,393 B2 * 10/2012 Critoph F25B 35/04
62/101
8,341,968 B2 * 1/2013 Landers F25D 3/06
62/389
8,353,331 B2 * 1/2013 Chang F28F 3/02
165/109.1
D676,118 S * 2/2013 Hansen D23/330
D679,788 S * 4/2013 Hoberg D23/323
8,490,683 B2 * 7/2013 Moon F28D 15/0233
165/104.26
8,550,153 B2 * 10/2013 Yin F22B 27/00
165/146
8,875,780 B2 * 11/2014 Smith F28F 1/325
165/133

(21) Appl. No.: **29/498,681**
(22) Filed: **Aug. 6, 2014**
(30) **Foreign Application Priority Data**

Feb. 6, 2014 (JP) 2014-002449
(51) **LOC (10) Cl.** **13-03**
(52) **U.S. Cl.**
USPC **D13/179**
(58) **Field of Classification Search**
USPC D13/179; D23/323, 330, 386;
165/104.11, 104.26, 133, 166
CPC F28F 3/00; F28F 3/02; F28F 3/025;
F28F 3/08; F28F 13/00; F28F 13/06; F28F
13/18; F28F 13/185; F28D 9/005; F28D
9/0031; F28D 15/00; F28D 15/0233
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D316,705 S * 5/1991 Dickey D13/179
5,069,276 A * 12/1991 Seidel F28D 9/0037
165/166
D384,040 S * 9/1997 Frerichs D13/179
5,875,838 A * 3/1999 Haselden F28D 9/0043
165/146
7,069,982 B2 * 7/2006 Matsuzaki B21D 53/04
165/165

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1465215 3/2013
JP D1465216 3/2013

(Continued)


Primary Examiner — Selina Sikder
(74) *Attorney, Agent, or Firm* — Oblon, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**
The ornamental design for a plate for heat exchanger, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a plate for heat exchanger;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is an enlarged view of part 7-7 in FIG. 1 thereof; and,
FIG. 8 is a sectional view of a cut face taken along line 8-8 end in FIG. 7 thereof.
The broken lines in the drawings illustrate subject matter that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,007,771 B2 * 4/2015 Agostini F28D 1/0435
 361/689
 9,091,494 B2 * 7/2015 Dahlberg F28D 9/005
 D735,842 S * 8/2015 Cole D23/323
 9,163,882 B2 * 10/2015 Crawford F28D 9/005
 2004/0226704 A1 * 11/2004 Sella F28D 9/005
 165/167
 2006/0090887 A1 * 5/2006 Kato F28D 9/005
 165/166
 2010/0051248 A1 * 3/2010 Inatomi F28F 3/04
 165/166
 2010/0315781 A1 * 12/2010 Agostini F28D 15/0233
 361/700

2011/0112348 A1 * 5/2011 Tonkovich B01F 5/0475
 585/435
 2014/0026577 A1 * 1/2014 Reinke F01N 3/0205
 60/670
 2014/0352934 A1 * 12/2014 Barone B23P 15/26
 165/166
 2015/0184946 A1 * 7/2015 Barwig F02B 29/045
 123/542
 2015/0219410 A1 * 8/2015 Lin F28F 13/18
 165/133

FOREIGN PATENT DOCUMENTS

JP D1465458 3/2013
 JP D1465459 3/2013

* cited by examiner




FIG. 1




FIG. 2




FIG.4




FIG.3



FIG.5




FIG.6




FIG. 7



FIG. 8