



US00D763858S

(12) **United States Design Patent**
Fluckiger et al.

(10) **Patent No.:** **US D763,858 S**

(45) **Date of Patent:** **** Aug. 16, 2016**

(54) **PROTECTIVE COVER FOR AN INPUT DEVICE**

(71) Applicant: **Logitech Europe S.A.**, Lausanne (CH)

(72) Inventors: **Jean-Marc Fluckiger**, Tsuen Wan (HK);
Chun-Wei Su, Taipei (TW); **Yibo Shao**,
Tsuen Wan (HK)

(73) Assignee: **Logitech Europe S.A.**, Lausanne (CH)

(**) Term: **15 Years**

(21) Appl. No.: **29/539,292**

(22) Filed: **Sep. 11, 2015**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/440; D14/447**

(58) **Field of Classification Search**
USPC D14/250, 440, 447; 206/45.23, 320,
206/45.2; 361/679.55; 294/25; 224/218; 1/1
CPC ... G06F 1/1628; G06F 1/1613; G06F 1/1626;
A47B 23/044
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D68,164 S *	9/1925	Tepfer	D26/149
D230,376 S *	2/1974	Andrew	D19/91
4,512,480 A *	4/1985	Evenson	B42F 17/12 108/60
4,594,802 A *	6/1986	Field	G09F 3/18 40/661
D505,427 S *	5/2005	Bain	D14/451
D583,164 S *	12/2008	Jennings	D6/406.6
D621,406 S *	8/2010	Hoehn	D14/447
D637,599 S *	5/2011	Liao	D14/447
D648,707 S *	11/2011	Akana	D14/217
8,136,785 B1 *	3/2012	Polster	A47B 23/043 248/444.1
D658,187 S *	4/2012	Diebel	D14/440
D658,188 S *	4/2012	Diebel	D14/440
D661,308 S *	6/2012	Capozzoli, II	D14/447
D663,546 S *	7/2012	Jennings	D6/406.3

D665,810 S *	8/2012	Jones	D14/440
D671,541 S *	11/2012	Gengler	D14/392
D678,885 S *	3/2013	Gengler	D14/447
D679,715 S *	4/2013	Akana	D14/440
D693,821 S *	11/2013	Bates	D14/440
D693,822 S *	11/2013	Bates	D14/440
D699,245 S *	2/2014	Lee	D14/447
D700,614 S *	3/2014	Hamblet	D14/447
D701,089 S *	3/2014	Lee	D7/554.3

(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**

The ornamental design for a protective cover for an input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a protective cover for an input device with a disclaimed input device showing our new design;

FIG. 2 is a perspective view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a back view thereof;

FIG. 7 is a left view thereof;

FIG. 8 is a right view thereof.

FIG. 9 is a perspective view of a protective cover for an input device with a disclaimed input device showing our new design;

FIG. 10 is a perspective view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a front view thereof;


FIG. 14 is a back view thereof;

FIG. 15 is a left view thereof; and,

FIG. 16 is a right view thereof.

The broken lines in the drawings depict environmental subject matter only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D701,213 S *	3/2014	Pajic	D14/447	D729,256 S *	5/2015	Feng	D14/447
D701,214 S *	3/2014	Gengler	D14/447	D732,036 S *	6/2015	Lee	D14/434
D706,270 S *	6/2014	Akana	D14/440	D737,829 S *	9/2015	Lee	D14/447
D709,553 S *	7/2014	Yao	D19/86	9,218,024 B2 *	12/2015	Gengler	G06F 1/1632
D713,048 S *	9/2014	Ogaki	D24/200	D749,595 S *	2/2016	Sauvage	D14/440
D718,386 S *	11/2014	Packard	D19/86	D750,632 S *	3/2016	Diebel	D14/440
D725,120 S *	3/2015	Lo	D14/447	D752,593 S *	3/2016	Diebel	D14/440
D726,665 S *	4/2015	Park	D14/125	2006/0250764 A1 *	11/2006	Howarth	G06F 1/1632 361/679.41
				2013/0201625 A1 *	8/2013	Liang	G06F 1/1683 361/679.55

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14



FIG. 15



FIG. 16