



US00D763926S

(12) **United States Design Patent**
Foes et al.

(10) **Patent No.:** **US D763,926 S**
(45) **Date of Patent:** **** Aug. 16, 2016**

(54) **LIQUID APPLICATOR BASE**
(71) Applicant: **360 Yield Center, LLC**, Morton, IL
(US)
(72) Inventors: **Matt Foes**, Loves Park, IL (US); **Lee Dahlhauser**, Heyworth, IL (US)
(73) Assignee: **360 Yield Center, LLC**, Morton, IL
(US)
(**) Term: **14 Years**
(21) Appl. No.: **29/514,977**
(22) Filed: **Jan. 19, 2015**
(51) **LOC (10) Cl.** **15-03**
(52) **U.S. Cl.**
USPC **D15/13; D15/11**
(58) **Field of Classification Search**
USPC D15/11, 13, 17, 28, 21; D23/227;
111/124, 152; 172/730, 732
CPC A01C 23/025; A01C 23/00; A01C 23/02;
A01C 21/002; A01C 21/00; A01C 5/062;
A01C 5/00; A01C 5/06; A01C 5/064; A01C
7/006
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D173,972 S * 2/1955 Taylor D15/11
D231,115 S * 4/1974 Kiecker D15/11
D232,938 S * 9/1974 Hettich et al. D15/13
3,863,842 A * 2/1975 McFarland A01C 23/025
111/124
4,033,271 A * 7/1977 Williams A01C 23/025
111/123
4,141,301 A * 2/1979 Coldren A01C 23/025
111/123
D256,244 S * 8/1980 Ryan D15/11
D262,627 S * 1/1982 David D15/13
4,396,068 A * 8/1983 Handy A01B 39/19
111/14
4,592,294 A * 6/1986 Dietrich, Sr. A01C 5/062
111/123
4,638,748 A * 1/1987 Kopecky A01C 5/06
111/124
4,683,826 A * 8/1987 Solie A01M 17/002
111/124



4,711,187 A * 12/1987 Schultz A01C 5/062
111/123
D307,590 S * 5/1990 Ridgeon D15/13
4,955,297 A * 9/1990 Tsukamoto A01C 5/062
111/152
D329,652 S * 9/1992 Killian D15/13
5,259,327 A * 11/1993 Thompson, Jr. A01M 21/04
111/118
5,271,342 A * 12/1993 Neidhardt A01C 23/025
111/119
5,333,559 A * 8/1994 Hodapp A01B 49/06
111/152
D356,629 S * 3/1995 Claussen D23/227
5,495,814 A * 3/1996 Primus A01C 23/025
111/124
5,881,821 A * 3/1999 Noonan A01B 35/26
172/730
D411,546 S * 6/1999 Chapman D15/11
5,941,318 A * 8/1999 Bergen A01B 35/225
172/730
D415,773 S * 10/1999 Chapman D15/11
5,979,568 A * 11/1999 Parish A01B 35/225
172/724
6,167,820 B1 * 1/2001 Kimberly A01C 23/024
111/119
6,986,314 B2 * 1/2006 Linnebur A01C 5/062
111/152
7,004,090 B2 * 2/2006 Swanson A01C 5/064
111/119
7,617,783 B1 * 11/2009 Cruson A01C 5/062
111/150
8,453,586 B2 * 6/2013 Cruson A01C 7/06
111/124
8,544,396 B1 * 10/2013 Anderson A01C 5/062
111/152
D726,773 S * 4/2015 Rawson D15/13
2002/0069801 A1 * 6/2002 Cruson A01B 15/025
111/186
2013/0233215 A1 * 9/2013 Cruson A01C 23/023
111/119

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Thomas J. Oppold; Larkin

Hoffman Daly & Lindgren, Ltd.



(57)

CLAIM

The ornamental design for a liquid applicator base, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of one embodiment of the liquid applicator base illustrating unclaimed environmental structure in dashed lines.

FIG. 2 is a rear perspective view of the liquid applicator base of FIG. 1 illustrating unclaimed environmental structure in dashed lines.

FIG. 3 the same front perspective view of the liquid applicator base as FIG. 1 but with the unclaimed environmental structure removed to show the portions of the liquid applicator base which were obscured by the unclaimed environmental structure in FIG. 1.

FIG. 4 is the same rear perspective view of the liquid applicator base of FIG. 2 but with the unclaimed environmental structure removed to show the portions of the liquid applicator base which were obscured by the unclaimed environmental structure in FIG. 2.

FIG. 5 is a front elevation view of the liquid applicator base of FIG. 3.

FIG. 6 is a rear elevation view of the liquid applicator base of FIG. 3.

FIG. 7 is a top plan view of the liquid applicator base of FIG. 3.

FIG. 8 is a bottom plan view of the liquid applicator base of FIG. 3.

FIG. 9 is a left side elevation view of the liquid applicator base of FIG. 3.

FIG. 10 is a right side elevation view of the liquid applicator base of FIG. 3.

FIG. 11 is a front perspective view of another embodiment of the liquid applicator base.

FIG. 12 is a rear perspective view of the liquid applicator base of FIG. 11.

FIG. 13 is a front elevation view of the liquid applicator base of FIG. 11.

FIG. 14 is a rear elevation view of the liquid applicator base of FIG. 11.

FIG. 15 is a top plan view of the liquid applicator base of FIG. 11.

FIG. 16 is a bottom plan view of the liquid applicator base of FIG. 11.

FIG. 17 is a left side elevation view of the liquid applicator base of FIG. 11; and,

FIG. 18 is a right side elevation view of the liquid applicator base of FIG. 11.

The broken lines in FIGS. 1 and 2 showing the vertical support, connecting pin, liquid conduit connectors and the dribble tubes extending from the rearward end of the base are for the purpose of illustrating environmental structure and form no part of the claimed design. Other broken lines form no part of the claimed design.

1 Claim, 14 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18