



US00D764356S

(12) **United States Design Patent**
Hinsey et al.

(10) **Patent No.:** **US D764,356 S**

(45) **Date of Patent:** **** *Aug. 23, 2016**

- (54) **SADDLEBAG LID**
- (71) Applicant: **Hinsey's Pro Paint, Inc.**, Fort Wayne, IN (US)
- (72) Inventors: **Jacob Hinsey**, Fort Wayne, IN (US);
Matt Anderson, Huntington, IN (US)
- (73) Assignee: **Hinsey's Pro Paint, Inc.**, Fort Wayne, IN (US)
- (*) Notice: This patent is subject to a terminal disclaimer.

6,223,960	B1 *	5/2001	Powell	B62J 9/00	190/125
D450,632	S *	11/2001	Morgan	D12/114	
D461,748	S *	8/2002	Morgan	D12/114	
D576,035	S *	9/2008	Perry	D9/435	
D603,760	S *	11/2009	Gregory	D12/114	
D615,908	S *	5/2010	Ditterline	D12/114	
D638,346	S *	5/2011	Loynds	D12/114	
8,608,039	B2 *	12/2013	Kaczowski	B62J 9/00	224/413
D699,708	S *	2/2014	Files	D12/114	
D699,709	S *	2/2014	Files	D12/114	
8,651,214	B2 *	2/2014	Orpen	B62K 11/00	180/219
2006/0207963	A1 *	9/2006	Little	B65D 1/14	215/384

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/500,149**

Primary Examiner — Philip S Hyder

Assistant Examiner — Darlington Ly

(22) Filed: **Aug. 21, 2014**

(74) *Attorney, Agent, or Firm* — Ice Miller LLP

(51) **LOC (10) Cl.** **12-11**

(57) **CLAIM**

The ornamental design for a saddlebag lid, as shown and described.

(52) **U.S. Cl.**
USPC **D12/114**

DESCRIPTION

(58) **Field of Classification Search**
 USPC D12/110, 114, 126, 407, 409, 410, 415;
 180/90, 219; 280/288.4; 296/37.1, 70;
 D9/423, 429, 431, 432, 435, 759, 770;
 D14/214
 CPC B60R 7/02; B60R 9/02; B60R 9/12;
 B62J 1/16; B62J 6/02; B62J 7/00; B62J 7/04;
 B62J 9/00; B62J 9/003; B62J 9/005; B62J
 9/006; B62J 11/00; B62J 99/00; B62K 11/04;
 A63B 71/0045

FIG. 1 is a front perspective view of the saddlebag lid;
 FIG. 2 is a rear perspective view of the saddlebag lid;
 FIG. 3 is a front elevation view of the saddlebag lid;
 FIG. 4 is a rear elevation view of the saddlebag lid;
 FIG. 5 is a left side elevation view of the saddlebag lid;
 FIG. 6 is a right side elevation view of the saddlebag lid;
 FIG. 7 is a top plan view of the saddlebag lid; and,
 FIG. 8 is a bottom plan view of the saddlebag lid.

See application file for complete search history.

The drawings show the design of a saddlebag lid suitable for positioning on the left side of a vehicle. The ornamental design also includes the mirror images of the drawings, i.e., the design of a saddlebag lid suitable for positioning on the right side of the vehicle.


(56) **References Cited**

The broken lines in the drawings illustrate portions of the saddlebag lid that forms no part of the claimed design.

U.S. PATENT DOCUMENTS

D200,144 S * 1/1965 Marchello D12/401

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8