



US00D764648S

(12) **United States Design Patent**
Qin et al.

(10) **Patent No.:** **US D764,648 S**
(45) **Date of Patent:** **** Aug. 23, 2016**

- (54) **DEHUMIDIFICATION DEVICE**
- (71) Applicants: **Hisense Kelon Electrical Holdings Co., Ltd.**, Guangdong (CN); **Guandong Kelon Air Conditioner Co., Ltd.**, Guangdong (CN)
- (72) Inventors: **Peiran Qin**, Guangdong (CN); **Lei Wang**, Guangdong (CN)
- (73) Assignees: **Guandong Kelon Air Conditioner Co. Ltd.**, Guangdong (CN); **Hisense Kelon Electrical Co., Ltd.**, Guangdong (CN)
- (**) Term: **14 Years**

D395,705 S *	6/1998	Ediger	D23/364
D402,745 S *	12/1998	Termeer	D23/355
D402,746 S *	12/1998	Clark	D23/355
D420,439 S *	2/2000	Ediger	D23/365
D433,493 S *	11/2000	Runyan	D23/364
D495,409 S *	8/2004	Ke	D23/355
D573,241 S *	7/2008	Chiu	D23/359
D604,401 S *	11/2009	Chun	D23/359
D673,665 S *	1/2013	Langford	D23/359
D683,439 S *	5/2013	Choi	D23/364
D729,365 S *	5/2015	Yuan	D23/359
D741,464 S *	10/2015	Ikegaya	D23/364

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Troutman Sanders LLP

- (21) Appl. No.: **29/510,553**
- (22) Filed: **Dec. 1, 2014**
- (51) **LOC (10) Cl.** **23-04**
- (52) **U.S. Cl.**
USPC **D23/359**
- (58) **Field of Classification Search**
USPC D23/355, 356, 359, 360, 364, 366, 368, D23/386, 332; D15/79; 55/356, 473, 504; 422/120, 122; 96/97
CPC A61L 9/16; A61L 9/22; B01D 47/00; B01D 47/027; B01D 2221/02; B01D 2259/4508; B03C 3/155; F24F 3/16; F24F 13/20; F24F 13/28; F24F 2001/0096; F24F 3/1405; F24F 3/1603; F24F 13/222
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a dehumidification device, as shown and described.

DESCRIPTION


FIG. 1 is a front view of the dehumidification device according to the new design;
 FIG. 2 is a back view of the dehumidification device;
 FIG. 3 is a top view of the dehumidification device;
 FIG. 4 is a bottom view of the dehumidification device;
 FIG. 5 is a left side view of the dehumidification device;
 FIG. 6 is a right side view of the dehumidification device;
 FIG. 7 is a front perspective view of the dehumidification device; and,
 FIG. 8 is a back perspective view of the dehumidification device.
 Features shown in broken lines in FIGS. 1-8 form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D388,510 S *	12/1997	Rick	D23/355
D394,100 S *	5/1998	Promseeda	D23/355

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8