



US00D764719S

(12) **United States Design Patent**
Broder

(10) **Patent No.:** **US D764,719 S**

(45) **Date of Patent:** **** Aug. 23, 2016**

(54) **HARNESS PATCH**

(71) Applicant: **Jamie A. Broder**, Boynton Beach, FL
(US)

(72) Inventor: **Jamie A. Broder**, Boynton Beach, FL
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,000**

(22) Filed: **Feb. 19, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/468,577,
filed on Oct. 1, 2013, now Pat. No. Des. 734,567.

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/122**

(58) **Field of Classification Search**

USPC D30/144, 145, 161, 169, 199, 152;
119/850, 863, 856-858, 174, 792, 907;
224/42.11, 241, 582, 505; 54/44.1;
D3/231; 441/127, 115, 55, 80, 136, 88,
441/106, 108; D29/122, 101.1, 101.3
CPC A01K 27/001; A01K 27/002
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,068,863	A	12/1962	Bowman	
5,386,802	A	2/1995	Hang-Fu	
5,682,607	A	11/1997	Klein	
6,662,754	B1	12/2003	Wilson	
D527,824	S	9/2006	Muller et al.	
7,343,881	B2	3/2008	Schantz et al.	
D621,561	S	8/2010	Siklosi et al.	
D653,410	S *	1/2012	Morton	D30/145
D663,478	S *	7/2012	Tousley	D24/189

(Continued)

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — McCormick, Paulding & Huber LLP

(57) **CLAIM**

The ornamental design for a harness patch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new design for a harness patch in use, mounted to a harness. The portions of the harness that form no part of the claimed design are shown in broken lines.

FIG. 2 is a top plan view of the harness patch thereof;

FIG. 3 is bottom plan view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is right side view thereof; and

FIG. 8 is a perspective view thereof, in use mounted to a harness worn by an animal. The portions of the harness and the animal that are shown in broken lines form no part of the claimed design.

FIG. 9 is a perspective view of a second embodiment of my new design for a harness patch in use, mounted to a harness. The portions of the harness that form no part of the claimed design are shown in broken lines.

FIG. 10 is a top plan view of the harness patch thereof;

FIG. 11 is bottom plan view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a front view thereof;

FIG. 14 is a left side view thereof;


FIG. 15 is right side view thereof; and,

FIG. 16 is a perspective view thereof, in use mounted to a harness worn by an animal.

The portions of the harness and the animal that are shown in broken lines form no part of the claimed design.

The broken lines shown in the drawings illustrate unclaimed portions of the design, or the nature or environment related to the claimed design, and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D664,310 S 7/2012 Ito
D664,720 S 7/2012 Leonard
8,291,867 B2 10/2012 Blizzard

D677,841 S * 3/2013 Gibbs D30/152
D681,287 S 4/2013 Collignon
8,418,658 B1 4/2013 Remick
D688,011 S 8/2013 Gee

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16