



US00D764815S

(12) **United States Design Patent**  
**Clark**

(10) **Patent No.:** **US D764,815 S**

(45) **Date of Patent:** **\*\* Aug. 30, 2016**

(54) **KNEELER BASE**

(71) Applicant: **Bruce A. Clark**, Saint Paul, MN (US)

(72) Inventor: **Bruce A. Clark**, Saint Paul, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/505,032**

(22) Filed: **May 4, 2015**

(51) **LOC (10) Cl.** ..... **06-06**

(52) **U.S. Cl.**  
USPC ..... **D6/330**

(58) **Field of Classification Search**

USPC ..... D6/330, 335-338, 340, 349-355, 364,  
D6/366, 495, 376, 685, 691, 707.19, 709,  
D6/718.11, 344, 360, 716; 297/16.1, 39,  
297/135, 158.3, 158, 175, 187, 195.1,  
297/195.11, 423.1, 423.16, 445.1, 461, 462,  
297/439, 70, 76, 260, 271.1, 279, 423.25,  
297/423.34, 423.36; 280/32.6, 32.5;  
482/146, 148; D25/68, 69; D8/349;  
248/210; 182/112  
CPC ..... A47C 9/00; A47C 9/08; A47C 9/10;  
A47C 1/00; A47C 1/02; A47C 1/04; A47C  
1/14; A47C 11/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

830,103 A	9/1906	Rundell
1,529,498 A	3/1925	Novak
2,225,696 A	12/1940	Holzderber
2,318,416 A	5/1943	Peirce
2,829,705 A	4/1958	Godshalk et al.
4,394,049 A	7/1983	Ward
D273,996 S	5/1984	Rasler
4,606,576 A	8/1986	Jones
D287,074 S	12/1986	Ritchie
D288,513 S	3/1987	Shelly
D305,522 S	1/1990	Kohus

D311,282 S	10/1990	Tooley	
4,971,389 A	11/1990	Staggs	
D317,833 S *	7/1991	Miller	..... D6/330
5,125,646 A	6/1992	Wilkinson	
D331,330 S	12/1992	Bennett et al.	
D346,310 S	4/1994	Schlesier et al.	
D351,738 S	10/1994	LaCombe	
D369,842 S	5/1996	Gvoich	
D376,481 S	12/1996	Bidwell et al.	
D387,623 S	12/1997	Brooks	
D423,290 S	4/2000	Green	
D435,196 S	12/2000	Gregor et al.	
D463,039 S	9/2002	Tseng	
D510,699 S	10/2005	Crain et al.	
D541,433 S	4/2007	Wise	
D592,411 S *	5/2009	Moffat	..... D6/330
D612,160 S	3/2010	Carino	

(Continued)

**FOREIGN PATENT DOCUMENTS**

GB 762869 12/1956

*Primary Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Richard John Bartz

(57) **CLAIM**

The ornamental design for a kneeler base, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of the kneeler base showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;


FIG. 5 is a right side elevational view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a sectional view taken along the line 7-7 of FIG. 1.

The broken line showing of portions of the kneeler base is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



# US D764,815 S

Page 2

---

(56)

## References Cited

U.S. PATENT DOCUMENTS

D685,110 S      6/2013    Lusin et al.

D736,002 S \*    8/2015    Clark ..... D6/330  
D736,525 S \*    8/2015    Clark ..... D6/330  
2004/0201268 A1    10/2004    Liao

\* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 7




FIG. 5




FIG. 4




FIG.6