

US00D764869S

(12) **United States Design Patent** (10) **Patent No.:** **US D764,869 S**  
**Smrtnik et al.** (45) **Date of Patent:** **\*\* Aug. 30, 2016**

- (54) **COFFEE MUG SET**
- (71) Applicant: **ZkotZ d.o.o.**, Ljubljana Dobrunje (SI)
- (72) Inventors: **Klemen Smrtnik**, Vrnik (SI); **Damir Islamovic**, Vrnik (SI); **Dejan Kos**, Vrnik (SI)
- (73) Assignee: **ZkotZ d.o.o.**, Ljubljana, Doburnje (SI)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/515,554**
- (22) Filed: **Jan. 23, 2015**
- (51) **LOC (10) Cl.** ..... **07-01**
- (52) **U.S. Cl.**  
USPC ..... **D7/507**; D7/515; D7/510
- (58) **Field of Classification Search**  
USPC ..... D7/300.1, 510, 511, 598, 599, 600, 608, D7/515, 312, 306, 300, 316, 317, 318, 505, D7/507, 524, 509, 624.2; 169/71; D9/680, D9/610, 657, 601, 521; D22/112; 102/486; D29/125, 126; 220/713, 715, 592.17, 220/592.24, 720; 215/398  
CPC .. A47G 19/22; A47G 21/18; A47G 19/2211; A47G 19/2255; A62C 13/003; A47J 41/02; A47J 41/0083  
See application file for complete search history.

- D259,088 S \* 5/1981 Signorile ..... D11/144
- D262,253 S \* 12/1981 Vennola ..... D7/507
- D263,544 S \* 3/1982 Vennola ..... D7/507
- 4,618,066 A \* 10/1986 Vail ..... A47J 41/00  
206/217
- D358,080 S \* 5/1995 Handler ..... D7/507
- 5,501,363 A \* 3/1996 Muller ..... A47G 19/2227  
181/177
- D402,545 S \* 12/1998 Kerdoon ..... D9/521
- 5,967,875 A \* 10/1999 Graef ..... A47G 19/2211  
181/178
- D456,213 S \* 4/2002 Darabi ..... D7/509
- D522,375 S \* 6/2006 Archeny ..... D9/521
- D694,066 S \* 11/2013 Volkov ..... D7/507
- D723,871 S \* 3/2015 Khubani ..... D7/505
- D729,008 S \* 5/2015 Rankin ..... D7/507
- D744,783 S \* 12/2015 McClellan ..... D7/507

\* cited by examiner

*Primary Examiner* — Marianne Pandozzi  
(74) *Attorney, Agent, or Firm* — F. Chau & Associates, LLC


(57) **CLAIM**  
The ornamental design for a coffee mug set, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side elevational view of a coffee mug set showing our new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a perspective view thereof;  
FIG. 4 is a left side perspective view thereof;  
FIG. 5 is another perspective view thereof;  
FIG. 6 is an exploded perspective view thereof;  
FIG. 7 is a right side perspective view thereof where the sleeve is used as a stand;  
FIG. 8 is a top perspective view thereof;  
FIG. 9 is a cross-sectional view taken along line 9-9 of FIG. 10; and,  
FIG. 10 is a top plan view thereof.

**1 Claim, 10 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- 2,585,445 A \* 2/1952 Dingeldein ..... A47G 19/2205  
220/605
- 2,996,208 A \* 8/1961 Schroeder ..... A47G 19/2255  
215/377
- 3,526,335 A \* 9/1970 Swett ..... A47G 19/2255  
215/10
- D228,330 S \* 9/1973 Bright ..... D7/509
- D247,941 S \* 5/1978 Gregorius ..... D11/146
- D248,714 S \* 8/1978 Dedrick ..... D11/143






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5







FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10