



US00D764889S

(12) **United States Design Patent** (10) **Patent No.:** **US D764,889 S**
Merten et al. (45) **Date of Patent:** **** Aug. 30, 2016**

(54) **ENGINE STARTER CORD HANDLE**

(56) **References Cited**

(71) Applicant: **M Group, Inc.**, Manitowoc, WI (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **David J. Merten**, Manitowoc, WI (US);
Jay Z. Muchin, Manitowoc, WI (US);
Michael M. Potempa, Freeport, IL
(US); **Brian S. Potempa**, Freeport, IL
(US)

D157,778 S * 3/1950 Neumann D8/306
D378,797 S * 4/1997 Poremba et al. D8/107
D384,559 S * 10/1997 Tisbo et al. D8/10
D384,873 S * 10/1997 Aquilina D8/107

(Continued)

OTHER PUBLICATIONS

Photograph of Start-Me-Up handle, from Good Vibrations at http://www.gvpower.com/product_detail.php?productid=Start%20Me%20Up&ppid=7&popt=0&popt2=0, commercially available more than one year before Jun. 17, 2013, 1 page.

(Continued)

(73) Assignee: **M Group, Inc.**, Manitowoc, WI (US)

(**) Term: **14 Years**

Primary Examiner — Derrick Holland

Assistant Examiner — Lauren Calve

(21) Appl. No.: **29/458,105**

(22) Filed: **Jun. 17, 2013**

(51) **LOC (10) Cl.** **08-06**

(52) **U.S. Cl.**

USPC **D8/107**

(58) **Field of Classification Search**

USPC D8/107, 300–309; 16/110.1, 419,
16/422–427, 430; 294/49, 51, 53.5, 54.5,
294/55.5, 56, 57, 58; D7/393; D15/142
CPC Y10T 16/469; Y10T 74/20612; Y10T
74/20287; Y10T 74/20732; Y10T 74/20828;
Y10T 16/466; Y10T 74/20864; Y10T
16/4713; Y10T 16/4707; Y10T 16/44;
Y10T 16/498; Y10T 74/2042; Y10T
74/20822; Y10T 74/20396; Y10T 74/2014;
Y10T 16/4696; Y10T 74/2028; Y10T
74/2087; Y10T 16/4701; Y10T 16/513;
Y10T 16/4559; Y10T 16/459; Y10S 16/12;
Y10S 16/24; Y10S 16/90; Y10S 16/25;
Y10S 56/18; B25G 1/10; B25G 1/00; B25G
3/00

(74) *Attorney, Agent, or Firm* — Reinhart Boerner Van
Deuren s.c.

(57) **CLAIM**


We claim the ornamental design for an engine starter cord
handle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an engine starter cord
handle according to the claimed design;
FIG. 2 is a bottom perspective view of the claimed design of
FIG. 1;
FIG. 3 is a front view of the claimed design of FIG. 1;
FIG. 4 is a rear view of the claimed design of FIG. 1;
FIG. 5 is a left side view of the claimed design of FIG. 1;
FIG. 6 is a right side view of the claimed design of FIG. 1;
FIG. 7 is a top view of the claimed design of FIG. 1;
FIG. 8 is a bottom view of the claimed design of FIG. 1; and,
FIG. 9 is a perspective of the claimed design of FIG. 1
shown in environmental use.
The broken lines shown represent unclaimed subject matter
and form no part of the claimed design.

See application file for complete search history.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,131,972 A * 10/2000 Whitehead et al. 294/57

D466,786 S * 12/2002 Bourgeois et al. D8/107

D488,046 S * 4/2004 Marquardt et al. D8/107

D548,550 S * 8/2007 Yeh D8/10

8,782,854 B1 * 7/2014 Samuels 16/428

D712,231 S * 9/2014 Thompson et al. D8/300

OTHER PUBLICATIONS

Photograph of King Pin hitch pin, from Good Vibrations at http://www.gvpower.com/product_detail.php?productid=King%20Pin&ppid=494&popt=0&popt2=0, commercially available more than one year before Jun. 17, 2013, 1 page.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9