

US00D764891S

(12) **United States Design Patent** (10) **Patent No.:** **US D764,891 S**  
**Gokcebay et al.** (45) **Date of Patent:** **\*\* Aug. 30, 2016**

(54) **ELECTRONIC LOCKER LOCK**  
(71) Applicant: **Security People, Inc.**, Petaluma, CA (US)  
(72) Inventors: **Asil T. Gokcebay**, Petaluma, CA (US);  
**Julian Peck**, San Rafael, CA (US);  
**Kelly Kodama**, Walnut Creek, CA (US)  
(73) Assignee: **Security People, Inc.**, Petaluma, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/532,360**

(22) Filed: **Jul. 6, 2015**

**Related U.S. Application Data**

(62) Division of application No. 29/469,337, filed on Oct. 9, 2013, now Pat. No. Des. 733,519.

(51) **LOC (10) Cl.** ..... **08-07**

(52) **U.S. Cl.**  
USPC ..... **D8/330**

(58) **Field of Classification Search**  
USPC ..... D8/301, 302, 330, 331, 349, 400, 499;  
70/57, 57.1, 14, 20, 91, 92, 102, 141,  
70/237, 262, 263, 266, 278.1, 279.1, 416,  
70/465, 442, 443, 214, 78, 447; 340/5.6,  
340/5.61, 5.64, 5.73, 286.01, 542, 547,  
340/545.1, 545.7; 292/336.3, 257, 194,  
292/195, 198, 164, 165  
CPC ..... E05B 49/00; E05B 41/00; E05B 65/52;  
E05B 51/00; B65D 55/07; E06B 65/00  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,187,528 A 6/1965 Check  
4,148,092 A \* 4/1979 Martin ..... G07C 9/0069  
361/172  
4,899,562 A \* 2/1990 Gartner ..... G07C 9/0069  
70/277  
4,926,664 A \* 5/1990 Gartner ..... E05B 47/0012  
70/119

5,020,345 A 6/1991 Gartner et al.  
5,033,282 A 7/1991 Gartner et al.  
D327,856 S \* 7/1992 Loew ..... D10/106.95  
D331,888 S \* 12/1992 Lade ..... D10/106.1  
D354,922 S \* 1/1995 Gartner ..... D10/106.95  
5,481,361 A \* 1/1996 Yumiki ..... G01B 11/002  
356/621  
5,894,277 A \* 4/1999 Keskin ..... E05B 47/00  
235/382  
5,941,361 A 8/1999 Davidovich et al.  
6,016,955 A 1/2000 De Rooij et al.  
D426,833 S \* 6/2000 Vanelli ..... D14/387  
6,272,562 B1 \* 8/2001 Scott ..... G06F 21/32  
382/124  
D450,559 S \* 11/2001 Yu ..... D8/331  
D461,111 S 8/2002 Gartner  
D495,578 S 9/2004 Sampson et al.  
D512,898 S 12/2005 Metivier et al.  
D580,739 S \* 11/2008 Pelletier ..... D8/330  
7,482,907 B2 \* 1/2009 Denison ..... B60R 25/102  
340/5.1  
D593,398 S 6/2009 Pelletier et al.  
D630,489 S 1/2011 Gratzki et al.  
D669,257 S 10/2012 Hedaya  
D677,145 S 3/2013 Hsieh et al.  
8,490,443 B2 7/2013 Gokcebay  
8,495,898 B2 7/2013 Gokcebay

\* cited by examiner

*Primary Examiner* — Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger

(57) **CLAIM**  
The ornamental design for an electronic locker lock, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front left perspective view of a first embodiment of an electronic locker lock according to our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a front elevation view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front left perspective view of a second embodiment of an electronic locker lock according to our new design;




FIG. 8 is a top plan view thereof;  
FIG. 9 is a left side view thereof;  
FIG. 10 is a front elevation view thereof;  
FIG. 11 is a right side view thereof;  
FIG. 12 is a bottom plan view thereof;  
FIG. 13 is a front left perspective view of a third embodiment of an electronic locker lock according to our new design;  
FIG. 14 is a top plan view thereof;  
FIG. 15 is a left side view thereof;  
FIG. 16 is a front elevation view thereof;  
FIG. 17 is a right side view thereof;  
FIG. 18 is a bottom plan view thereof;  
FIG. 19 is a front left perspective view of a fourth embodiment of an electronic locker lock according to our new design;  
FIG. 20 is a top plan view thereof;  
FIG. 21 is a left side view thereof;  
FIG. 22 is a front elevation view thereof;  
FIG. 23 is a right side view thereof;  
FIG. 24 is a bottom plan view thereof;  
FIG. 25 is a front left perspective view of a fifth embodiment of an electronic locker lock according to our new design;  
FIG. 26 is a top plan view thereof;  
FIG. 27 is a left side view thereof;  
FIG. 28 is a front elevation view thereof;  
FIG. 29 is a right side view thereof;  
FIG. 30 is a bottom plan view thereof;

FIG. 31 is a front left perspective view of a sixth embodiment of an electronic locker lock according to our new design;  
FIG. 32 is a top plan view thereof;  
FIG. 33 is a left side view thereof;  
FIG. 34 is a front elevation view thereof;  
FIG. 35 is a right side view thereof;  
FIG. 36 is a bottom plan view thereof;  
FIG. 37 is a front left perspective view of a seventh embodiment of an electronic locker lock according to our new design;  
FIG. 38 is a top plan view thereof;  
FIG. 39 is a left side view thereof;  
FIG. 40 is a front elevation view thereof;  
FIG. 41 is a right side view thereof;  
FIG. 42 is a bottom plan view thereof;  
FIG. 43 is a front left perspective view of an eighth embodiment of an electronic locker lock according to our new design;  
FIG. 44 is a top plan view thereof;  
FIG. 45 is a left side view thereof;  
FIG. 46 is a front elevation view thereof;  
FIG. 47 is a right side view thereof; and,  
FIG. 48 is a bottom plan view thereof.  
Features shown in dashed lines are not part of the claimed design, nor is the rear side.

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18






FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36






FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48