



US00D764893S

(12) **United States Design Patent** (10) **Patent No.:** **US D764,893 S**
Gokcebay et al. (45) **Date of Patent:** **** Aug. 30, 2016**

- (54) **SURFACE MOUNT ELECTRONIC CAM LOCK** D263,279 S 3/1982 Stolarz
4,899,562 A * 2/1990 Gartner G07C 9/0069
70/277
4,926,664 A * 5/1990 Gartner E05B 47/0012
70/119
5,020,345 A 6/1991 Gartner et al.
D327,856 S * 7/1992 Loew D10/106.95
D331,888 S * 12/1992 Lade D10/106.1
D354,922 S * 1/1995 Gartner D10/106.95
5,475,996 A 12/1995 Chen
5,481,361 A * 1/1996 Yumiki G01B 11/002
356/621
5,894,277 A * 4/1999 Keskin E05B 47/00
235/382
- (71) Applicant: **Security People, Inc.**, Petaluma, CA (US)
- (72) Inventors: **Asil T. Gokcebay**, Petaluma, CA (US);
Julian Peck, San Rafael, CA (US);
Kelly Kodama, Walnut Creek, CA (US)
- (73) Assignee: **Security People, Inc.**, Petaluma, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/533,529**

(22) Filed: **Jul. 17, 2015**

Related U.S. Application Data

(62) Division of application No. 29/469,265, filed on Oct. 8, 2013, now Pat. No. Des. 737,114.

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330**

(58) **Field of Classification Search**

USPC D8/301, 302, 330, 331, 349, 400, 499;
70/57, 57.1, 14, 20, 91, 92, 102, 141,
70/237, 262, 263, 266, 278.1, 279.1, 416,
70/465, 442, 443, 214, 78, 447; 340/5.6,
340/5.61, 5.64, 5.73, 286.01, 542, 547,
340/545.1, 545.7; 292/336.3, 257, 194,
292/195, 198, 164, 165

CPC E05B 49/00; E05B 41/00; E05B 65/00;
E05B 65/52; E05B 51/00; B65D 55/07

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,187,528 A 6/1965 Check
4,148,092 A * 4/1979 Martin G07C 9/0069
361/172

(Continued)

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger

(57) **CLAIM**

The ornamental design for a surface mount electronic cam lock, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front left perspective view of a first embodiment of a surface mount electronic cam lock according to our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a front left perspective view of a second embodiment of a surface mount electronic cam lock according to our new design;

FIG. 8 is a top plan view thereof;

FIG. 9 is a left side view thereof;


FIG. 10 is a front elevation view thereof;

FIG. 11 is a right side view thereof; and,

FIG. 12 is a bottom plan view thereof.

Features shown in dashed lines are not part of the claimed design, nor is the rear side.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,058,746 A5/2000Mirshafiee et al.

D426,833 S *6/2000Vanelli D14/387

6,272,562 B1 *8/2001Scott G06F 21/32382/124

D450,559 S *11/2001Yu D8/331

7,221,272 B25/2007Hosselet

D580,739 S *11/2008Pelletier D8/330

7,482,907 B2 *1/2009Denison B60R 25/102340/5.1

D686,055 S7/2013Li

D686,056 S7/2013Li

8,490,443 B27/2013Gokcebay

8,495,898 B27/2013Gokcebay

8,587,405 B211/2013Denison et al.

8,616,031 B212/2013Ullrich et al.

D698,222 S1/2014Guo

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

