



US00D764909S

(12) **United States Design Patent** (10) **Patent No.:** **US D764,909 S**  
**Tulin** (45) **Date of Patent:** **\*\* \*Aug. 30, 2016**

(54) **HEXAGONAL-SHAPED JEWELRY BOX**

(71) Applicant: **Origami Owl, LLC**, Chandler, AZ  
(US)

(72) Inventor: **Alexander R. Tulin**, Scottsdale, AZ  
(US)

(73) Assignee: **Origami Owl, LLC**, Chandler, AZ  
(US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/492,188**

(22) Filed: **May 29, 2014**

(51) **LOC (10) Cl.** ..... **09-03**

(52) **U.S. Cl.**  
USPC ..... **D9/430; D9/433**

(58) **Field of Classification Search**  
USPC ..... D9/430-434, 414-415, 417, 418,  
D9/420-427, 634, 732; D3/272, 273, 302,  
D3/304-309, 315; D7/601, 602, 609,  
D7/619.1, 630  
CPC ..... B65D 5/00; B65D 5/0209; B65D 5/029;  
B65D 5/40; B65D 5/72; B65D 5/727  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,285,174	A *	6/1942	Simons	.....	B65D 5/0227 229/110
2,342,623	A *	2/1944	Aquino	.....	B65D 5/02 229/108
2,819,833	A *	1/1958	Sauer	.....	B65D 5/2033 229/109
2,925,213	A *	2/1960	Zukoski	.....	B65D 5/2033 229/109
D235,248	S *	6/1975	Bennet	.....	D9/430
D257,829	S *	1/1981	Webinger	.....	D9/430
D264,687	S *	6/1982	Austin	.....	D9/433
D348,609	S *	7/1994	Eisman	.....	D9/423

D351,345	S *	10/1994	Geho	.....	D9/430
D400,437	S *	11/1998	Troutman	.....	D9/430
D429,429	S *	8/2000	Murphy	.....	D6/678
D495,247	S *	8/2004	Keberlein	.....	D9/418
D495,598	S *	9/2004	Smith	.....	D9/430
D506,670	S *	6/2005	Borkoski	.....	D9/430
D672,645	S *	12/2012	Giannini	.....	D9/430
D717,163	S *	11/2014	Paulsen	.....	D9/431

\* cited by examiner

*Primary Examiner* — Vy Koenig

(74) *Attorney, Agent, or Firm* — Fennemore Craig, P.C.

(57) **CLAIM**

The ornamental design for a hexagonal-shaped jewelry box, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an assembled hexagonal-shaped jewelry box;  
 FIG. 2 is a front view of the hexagonal-shaped jewelry box shown in FIG. 1;  
 FIG. 3 is a back view of the hexagonal-shaped jewelry box shown in FIG. 1;  
 FIG. 4 is a left side view of the hexagonal-shaped jewelry box shown in FIG. 1;  
 FIG. 5 is a right side view of the hexagonal-shaped jewelry box shown in FIG. 1;  
 FIG. 6 is a top view of the hexagonal-shaped jewelry box shown in FIG. 1;  
 FIG. 7 is a bottom view of the hexagonal-shaped jewelry box shown in FIG. 1;  
 FIG. 8 is a perspective view of the hexagonal-shaped jewelry box of FIG. 1 in an unassembled outline configuration, including fold lines represented by thin lines;  
 FIG. 9 is a front view of the hexagonal-shaped jewelry box shown in FIG. 8;  
 FIG. 10 is a back view of the hexagonal-shaped jewelry box shown in FIG. 8;  
 FIG. 11 is a right side view of the hexagonal-shaped jewelry box shown in FIG. 8;  
 FIG. 12 is a left side view of the hexagonal-shaped jewelry box shown in FIG. 8;





FIG. 13 is a top view of the hexagonal-shaped jewelry box shown in FIG. 8;

FIG. 14 is a bottom view of the hexagonal-shaped jewelry box shown in FIG. 8;

FIG. 15 is a perspective view of an additional embodiment of an assembled hexagonal-shaped jewelry box;

FIG. 16 is a front view of the hexagonal-shaped jewelry box shown in FIG. 15;

FIG. 17 is a back view of the hexagonal-shaped jewelry box shown in FIG. 15;

FIG. 18 is a left side view of the hexagonal-shaped jewelry box shown in FIG. 15;

FIG. 19 is a right side view of the hexagonal-shaped jewelry box shown in FIG. 15;

FIG. 20 is a top view of the hexagonal-shaped jewelry box shown in FIG. 15;

FIG. 21 is a bottom view of the hexagonal-shaped jewelry box shown in FIG. 15;

FIG. 22 is a perspective view of the hexagonal-shaped jewelry box of FIG. 15 in an unassembled outline configuration, including fold lines represented by thin lines;

FIG. 23 is a front view of the hexagonal-shaped jewelry box shown in FIG. 22;

FIG. 24 is a back view of the hexagonal-shaped jewelry box shown in FIG. 22;

FIG. 25 is a right side view of the hexagonal-shaped jewelry box shown in FIG. 22;

FIG. 26 is a left side view of the hexagonal-shaped jewelry box shown in FIG. 22;

FIG. 27 is a top view of the hexagonal-shaped jewelry box shown in FIG. 22; and,

FIG. 28 is a bottom view of the hexagonal-shaped jewelry box shown in FIG. 22.

The broken lines shown in the drawings illustrate portions of the hexagonal-shaped jewelry box that form no part of the claimed design.

**1 Claim, 20 Drawing Sheets**




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20






FIG. 21




FIG. 22




FIG. 23




FIG. 24






FIG. 25




FIG. 26




FIG. 27




FIG. 28