



US00D764953S

(12) **United States Design Patent**  
**Virhiä et al.**

(10) **Patent No.:** **US D764,953 S**  
(45) **Date of Patent:** **\*\* Aug. 30, 2016**

(54) **SENSOR**

(71) Applicant: **Personal Sensors Interactive Ltd,**  
Vaajakoski (FI)

(72) Inventors: **Toni Matti Virhiä,** London (GB);  
**Harri Päiviö Koskinen,** Helsinki (FI);  
**Janne Petteri Rätty,** Helsinki (FI)

(73) Assignee: **Personal Sensors Interactive Ltd.,**  
Tampere (FI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/504,685**

(22) Filed: **Oct. 8, 2014**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/46**

(58) **Field of Classification Search**  
USPC ..... **D10/46**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 5,646,349 A \* 7/1997 Twigg ..... B60T 8/171  
73/514.35
- D683,634 S \* 6/2013 Hayakawa ..... D10/46

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — BelayIP Oy


(57) **CLAIM**

The ornamental design for a sensor, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a sensor showing our new design;  
 FIG. 2 is a left-front perspective view of the sensor;  
 FIG. 3 is a right-front perspective view of the sensor;  
 FIG. 4 is a rear view of the sensor;  
 FIG. 5 is a left-rear perspective view of the sensor;  
 FIG. 6 is a top view of the sensor;  
 FIG. 7 is a right-side view of the sensor;  
 FIG. 8 is a bottom view of the sensor;  
 FIG. 9 is a left-side view of the sensor;  
 FIG. 10 is a front view of a sensor according to a second embodiment showing our new design, all other views of the second embodiment are identical to that of the first embodiment but have not shown for ease of illustration;  
 FIG. 11 is a front view of a sensor according to a third embodiment showing our new design;  
 FIG. 12 is a front view of a sensor according to a fourth embodiment showing our new design;  
 FIG. 13 is a front view of a sensor according to a fifth embodiment showing our new design; and,  
 FIG. 14 is a front view of a sensor according to a sixth embodiment showing our new design.  
 The broken lines are included for purposes of illustrating a portion of the sensor that forms no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 2




FIG. 1






FIG. 4


FIG. 3




**FIG. 5**




**FIG. 6**



**FIG. 9**



**FIG. 8**



**FIG. 7**




FIG. 10




FIG. 11




FIG. 12





FIG. 13



**FIG. 14**