

US00D765179S

(12) **United States Design Patent**  
**Simon**

(10) **Patent No.:** **US D765,179 S**

(45) **Date of Patent:** **\*\* Aug. 30, 2016**

- (54) **PEN**
- (71) Applicant: **Schwan-STABILO Schwanhaeusser GmbH & Co. KG, Heroldsberg (DE)**
- (72) Inventor: **Boris Simon, Munich (DE)**
- (73) Assignee: **Schwan-Stabilo Schwanhaeusser GmbH & Co. KG, Heroldsberg (DE)**
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/516,178**
- (22) Filed: **Jan. 29, 2015**

D400,581 S *	11/1998	Hasegawa	.....	D19/174
D410,031 S *	5/1999	Charriol	.....	D19/170
D417,206 S *	11/1999	Hirota	.....	D14/411
D457,185 S *	5/2002	Ham	.....	D19/117
D485,299 S *	1/2004	Bodino	.....	D19/170
6,729,785 B2 *	5/2004	Wijerama	.....	B43K 25/00 401/104
D502,737 S *	3/2005	Bodino	.....	D19/164
D530,746 S *	10/2006	Gerules	.....	D19/177
7,350,996 B2 *	4/2008	Bielecki	.....	B43K 8/028 401/107
D585,093 S *	1/2009	Schnug	.....	D19/170
D610,196 S *	2/2010	Pearson	.....	D19/170
D647,966 S *	11/2011	Koch	.....	D19/170
D659,141 S *	5/2012	Watson	.....	D14/411
D740,290 S *	10/2015	Chung	.....	D14/411
D743,964 S *	11/2015	Swessi	.....	D14/411

\* cited by examiner

(30) **Foreign Application Priority Data**

Jul. 30, 2014 (EM) ..... 002511907-0007

- (51) **LOC (10) Cl.** ..... **19-06**
- (52) **U.S. Cl.**  
USPC ..... **D19/177; D19/934**
- (58) **Field of Classification Search**  
USPC ..... D14/411; D19/115–204  
CPC ..... B43K 5/00; B43K 5/005; B43K 7/00;  
B43K 7/10; B43K 7/12; B43K 8/04  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,856,655 A *	5/1932	Rese	.....	B43K 27/08 401/110
D151,658 S *	11/1948	Sams	.....	D19/170
2,595,001 A *	4/1952	Sams	.....	B43K 21/08 30/164.9
D324,542 S *	3/1992	Lin	.....	D19/116
5,150,979 A *	9/1992	Gallagher	.....	B43K 7/10 401/209

*Primary Examiner* — Elizabeth Albert

(74) *Attorney, Agent, or Firm* — Jura C. Zibas; Gregory N. Brescia; Wilson, Elser, Moskowitz, Edelman & Dicker, LLP.


(57) **CLAIM**

The ornamental design for a pen, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the new design for a pen;  
 FIG. 2 is a side view in elevation of the new design;  
 FIG. 3 is a side view in elevation of the new design oriented at a position 90° from the view depicted in FIG. 2;  
 FIG. 4 is a side view in elevation of the new design oriented at a position 90° from the view depicted in FIG. 3;  
 FIG. 5 a side view in elevation of the new design oriented at a position 90° from the view depicted in FIG. 4;  
 FIG. 6 is a top view of the pen; and,  
 FIG. 7 is a bottom view of the pen.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7