



US00D765200S

(12) **United States Design Patent**
Gershon

(10) **Patent No.:** **US D765,200 S**
(45) **Date of Patent:** **** Aug. 30, 2016**

(54) **COLLAPSIBLE FLOTATION DEVICE WITH BACK SUPPORT**

7,727,038 B2 * 6/2010 Le Gette et al. 441/130
D702,789 S * 4/2014 Berenson et al. D21/803
D719,630 S * 12/2014 Berenson et al. D21/803

(71) Applicant: **Swimways Corporation**, Virginia Beach, VA (US)

* cited by examiner

(72) Inventor: **Dani Gershon**, Virginia Beach, VA (US)

Primary Examiner — Zenia Bennett

(74) *Attorney, Agent, or Firm* — Cooley LLP

(73) Assignee: **Swimways Corporation**, Virginia Beach, VA (US)

(57) **CLAIM**
The ornamental design for a collapsible flotation device with back support, as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/500,081**

DESCRIPTION

(22) Filed: **Aug. 21, 2014**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/803**

(58) **Field of Classification Search**
USPC D21/769-770, 801, 803, 809; 114/253, 114/345-346; 441/35, 66, 74, 40-42, 441/129-132; 472/128-129; D12/5, 6, 316; D6/392, 595, 596, 601, 604, 605
CPC B63B 35/76; B63B 35/74; A61H 37/005
See application file for complete search history.

FIG. 1 is a front perspective view of a collapsible flotation device with back support, according to an embodiment; FIG. 2 is a top view of the collapsible flotation device with back support illustrated in FIG. 1; FIG. 3 is a bottom view of the collapsible flotation device with back support illustrated in FIG. 1; FIG. 4 is a left side view of the collapsible flotation device with back support illustrated in FIG. 1; FIG. 5 is a right side view of the collapsible flotation device with back support illustrated in FIG. 1; FIG. 6 is a rear view of the collapsible flotation device with back support illustrated in FIG. 1; FIG. 7 is a front view of the collapsible flotation device with back support illustrated in FIG. 1; FIG. 8 is a cross-sectional view of the collapsible flotation device with back support of FIG. 1 taken along line 8-8 in FIG. 2; FIG. 9 is a front perspective view of a collapsible flotation device with back support, according to another embodiment; FIG. 10 is a top view of the collapsible flotation device with back support illustrated in FIG. 9; FIG. 11 is a bottom view of the collapsible flotation device with back support illustrated in FIG. 9; FIG. 12 is a left side view of the collapsible flotation device with back support illustrated in FIG. 9; FIG. 13 is a right side view of the collapsible flotation device with back support illustrated in FIG. 9; FIG. 14 is a rear view of the collapsible flotation device with back support illustrated in FIG. 9;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D289,075 S	3/1987	Wolfe	
D293,012 S	12/1987	Storey et al.	
D366,161 S	1/1996	Arcouette	
D371,252 S	7/1996	Chaput	
D384,721 S	10/1997	Peterson	
D406,299 S	3/1999	Huston	
D416,063 S	11/1999	Scheurer et al.	
D437,283 S	2/2001	Peterson	
D465,540 S	11/2002	Peterson	
D485,593 S	1/2004	Muci	
6,971,936 B2	12/2005	Le Gette et al.	
D513,915 S *	1/2006	Jacklin	D6/604
D571,429 S *	6/2008	Roberts	D21/809
D610,216 S	2/2010	Le Gette et al.	





FIG. 15 is a front view of the collapsible flotation device with back support illustrated in FIG. 9;

FIG. 16 is a cross-sectional view of the collapsible flotation device with back support of FIG. 9 taken along line 16-16 in FIG. 10;

FIG. 17 is a front perspective view of a collapsible flotation device with back support, according to another embodiment; FIG. 18 is a top view of the collapsible flotation device with back support illustrated in FIG. 17;

FIG. 19 is a bottom view of the collapsible flotation device with back support illustrated in FIG. 17;

FIG. 20 is a left side view of the collapsible flotation device with back support illustrated in FIG. 17;

FIG. 21 is a right side view of the collapsible flotation device with back support illustrated in FIG. 17;

FIG. 22 is a rear view of the collapsible flotation device with back support illustrated in FIG. 17;

FIG. 23 is a front view of the collapsible flotation device with back support illustrated in FIG. 17; and,

FIG. 24 is a cross-sectional view of the collapsible flotation device with back support of FIG. 17 taken along line 24-24 in FIG. 18.

The broken lines are directed to environment and are for illustrative purposes only and form no part of the claimed design. The thin solid lines illustrate contour of the claimed design and are not a claimed surface pattern. The cross-hatching shown in the cross-sectional views of FIGS. 8, 16 and 24 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12




FIG.13




FIG.14




FIG.15




FIG. 16




FIG.17




FIG.18




FIG. 19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24