



US00D765207S

(12) **United States Design Patent** (10) **Patent No.:** **US D765,207 S**
Small (45) **Date of Patent:** **** Aug. 30, 2016**

(54) **MINI BOW SIGHT**

(71) Applicant: **Alan J. Small**, Rifton, NY (US)

(72) Inventor: **Alan J. Small**, Rifton, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/505,382**

(22) Filed: **Oct. 2, 2015**

(51) **LOC (10) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/107**

(58) **Field of Classification Search**
USPC D22/107
CPC F41G 1/467; F41G 3/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D260,417 S *	8/1981	Siekman	D22/107
4,893,606 A *	1/1990	Sisko	F41B 5/1426 124/89
4,982,503 A *	1/1991	Land	F41G 1/467 33/265
5,289,814 A *	3/1994	Maisano	F41G 1/467 124/87
5,305,728 A *	4/1994	Young	F41G 1/467 124/87
D358,445 S *	5/1995	Riddle, Jr.	D22/107
D662,565 S *	6/2012	Burt	D22/107
2014/0137849 A1 *	5/2014	Small	F41B 5/1419 124/87

* cited by examiner

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Donald G. Flaynik

(57) **CLAIM**

The ornamental design for a mini bow sight, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of my design for a mini bow sight that is vertical positioned and depicting a sight aperture having a relatively oval configuration.

FIG. 2 is a back elevation view of the mini bow sight of FIG. 1.

FIG. 3 is a right side view of the mini bow sight of FIG. 1. FIG. 4 is a left side view of the mini bow sight of FIG. 1. FIG. 5 is a top elevation view of the mini bow sight of FIG. 1; FIG. 5 depicts a bow string aperture vertically extending through the mini bow sight.


FIG. 6 is a bottom elevation view of the mini bow sight of FIG. 1; FIG. 6 depicts the bow string aperture of FIG. 5 vertically extending through the mini bow sight.

FIG. 7 is a front elevation view of the mini bow sight of FIG. 1, but with the mini bow sight vertically positioned such that a vertical axis is “tilted” to cause the longitudinal dimension of the oval sight aperture to appear correspondingly reduced. FIG. 8 is back elevation view of the mini bow sight of FIG. 7.

FIG. 9 is a right side elevation view of the mini bow sight of FIG. 7 depicting the vertical “tilt” of the mini bow sight of FIG. 7; and,

FIG. 10 is a left side elevation view of the mini bow sight of FIG. 7 depicting the vertical tilt of the mini bow sight of FIG. 7.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10