



US00D765207S

(12) **United States Design Patent** (10) **Patent No.:** **US D765,207 S**  
**Small** (45) **Date of Patent:** **\*\* Aug. 30, 2016**

(54) **MINI BOW SIGHT**

(71) Applicant: **Alan J. Small**, Rifton, NY (US)

(72) Inventor: **Alan J. Small**, Rifton, NY (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/505,382**

(22) Filed: **Oct. 2, 2015**

(51) **LOC (10) Cl.** ..... **22-01**

(52) **U.S. Cl.**  
USPC ..... **D22/107**

(58) **Field of Classification Search**  
USPC ..... D22/107  
CPC ..... F41G 1/467; F41G 3/02  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

|                   |        |             |       |                       |
|-------------------|--------|-------------|-------|-----------------------|
| D260,417 S *      | 8/1981 | Siekman     | ..... | D22/107               |
| 4,893,606 A *     | 1/1990 | Sisko       | ..... | F41B 5/1426<br>124/89 |
| 4,982,503 A *     | 1/1991 | Land        | ..... | F41G 1/467<br>33/265  |
| 5,289,814 A *     | 3/1994 | Maisano     | ..... | F41G 1/467<br>124/87  |
| 5,305,728 A *     | 4/1994 | Young       | ..... | F41G 1/467<br>124/87  |
| D358,445 S *      | 5/1995 | Riddle, Jr. | ..... | D22/107               |
| D662,565 S *      | 6/2012 | Burt        | ..... | D22/107               |
| 2014/0137849 A1 * | 5/2014 | Small       | ..... | F41B 5/1419<br>124/87 |

\* cited by examiner

*Primary Examiner* — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Donald G. Flaynik

(57) **CLAIM**

The ornamental design for a mini bow sight, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of my design for a mini bow sight that is vertical positioned and depicting a sight aperture having a relatively oval configuration.

FIG. 2 is a back elevation view of the mini bow sight of FIG. 1.

FIG. 3 is a right side view of the mini bow sight of FIG. 1. FIG. 4 is a left side view of the mini bow sight of FIG. 1. FIG. 5 is a top elevation view of the mini bow sight of FIG. 1; FIG. 5 depicts a bow string aperture vertically extending through the mini bow sight.


FIG. 6 is a bottom elevation view of the mini bow sight of FIG. 1; FIG. 6 depicts the bow string aperture of FIG. 5 vertically extending through the mini bow sight.


FIG. 7 is a front elevation view of the mini bow sight of FIG. 1, but with the mini bow sight vertically positioned such that a vertical axis is “tilted” to cause the longitudinal dimension of the oval sight aperture to appear correspondingly reduced. FIG. 8 is back elevation view of the mini bow sight of FIG. 7.

FIG. 9 is a right side elevation view of the mini bow sight of FIG. 7 depicting the vertical “tilt” of the mini bow sight of FIG. 7; and,


FIG. 10 is a left side elevation view of the mini bow sight of FIG. 7 depicting the vertical tilt of the mini bow sight of FIG. 7.

**1 Claim, 5 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*



*Fig. 8*



*Fig. 9*



*Fig. 10*