



US00D765493S

(12) **United States Design Patent** (10) **Patent No.:** **US D765,493 S**
Spater (45) **Date of Patent:** **** Sep. 6, 2016**

(54) **CARABINER WITH RING HOLE**
(71) Applicant: **Christopher B Spater**, Exeter, NH (US)
(72) Inventor: **Christopher B Spater**, Exeter, NH (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/524,794**
(22) Filed: **Apr. 23, 2015**
(51) **LOC (10) Cl.** **08-05**
(52) **U.S. Cl.**
USPC **D8/356**
(58) **Field of Classification Search**
USPC D32/361; D9/434; D24/143; 24/129 R,
24/18, 130, 289, 297, 457; 606/203;
D8/354, 356, 382, 394, 367, 349, 381,
D8/396; D12/217; 248/75, 301, 302, 303,
248/304, 339, 205.3, 544; 242/615;
294/209, 24, 2, 210, 211; 403/53, 91
CPC B60T 3/00; H02G 3/045; F16B 2/00;
A63B 27/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

582,780 A	5/1857	Eldeidge	
2,010,733 A	8/1935	Netz	
D175,302 S	8/1955	Gale	
D241,118 S *	8/1976	Schreyer et al.	D8/367
4,095,316 A	6/1978	Gabriel	
D271,465 S *	11/1983	Boissonnet	D8/367
D272,717 S *	2/1984	Faidide	D8/367
D281,483 S	11/1985	Faidide	
D282,904 S	3/1986	Faidide	
D348,214 S *	6/1994	Girardin	D8/367
5,538,303 A *	7/1996	Dunham	B63B 21/54 24/599.1
5,913,479 A	6/1999	Westwood, III	
D444,052 S *	6/2001	Catlett	D8/367
D444,685 S	7/2001	Shenkel	

D455,642 S *	4/2002	Kelleghan	D8/367
D468,997 S	1/2003	Chang	
6,601,274 B2 *	8/2003	Gartsbeyn	F16B 45/02 24/599.8
D485,431 S *	1/2004	Hsu	D3/210
D520,345 S *	5/2006	Kelleghan	D8/356
D521,362 S *	5/2006	Kelleghan	D8/356
D573,875 S *	7/2008	Anderson	D8/367
D577,574 S *	9/2008	Liang	D8/356
D595,119 S *	6/2009	Kelleghan	D8/356
D598,732 S *	8/2009	Bizzell	D8/356
D608,184 S *	1/2010	Kelleghan	D8/356
D608,187 S *	1/2010	Baron	D8/367
D624,306 S *	9/2010	Case	D3/207
D624,307 S *	9/2010	Case	D3/207
D625,988 S *	10/2010	Chan	D8/367
D626,393 S	11/2010	Ormsbee	
D639,046 S *	6/2011	Ormsbee	D3/207
D646,556 S	10/2011	Kelleghan	
D652,971 S *	1/2012	Ormsbee	D26/38
D670,902 S *	11/2012	McSweyn	D3/208
D698,625 S *	2/2014	Liang	D8/356
D698,626 S *	2/2014	Ormsbee	D8/356
D698,636 S *	2/2014	Weinberg	D8/356
D702,109 S *	4/2014	Weinberg	D8/356
D702,110 S *	4/2014	Gobbi	D8/356

(Continued)

Primary Examiner — Cynthia Underwood


(57) **CLAIM**

The ornamental design for a carabiner with ring hole, as shown and described.

DESCRIPTION

FIG. 1 shows a perspective view of my design for a carabiner with ring hole;
FIG. 2 is a front view thereof;
FIG. 3 is a back view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a side view thereof; and,
FIG. 7 is another side view thereof.
The carabiner with ring hole of the present invention is designed to clip to various objects.

1 Claim, 2 Drawing Sheets



US D765,493 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D708,843 S *	7/2014	Warner	D3/207	9,255,602 B2 *	2/2016	Liang	F16B 45/02
D729,513 S *	5/2015	Jiang	D3/207	D755,612 S *	5/2016	Cooper	D8/367
D729,619 S *	5/2015	Cherin	D8/394	D758,172 S *	6/2016	Hung	D8/367
D735,559 S *	8/2015	Liang	D8/356	2002/0050032 A1 *	5/2002	Carnall	F16B 45/02
D743,778 S *	11/2015	Huang	D8/367					24/600.2
D746,126 S *	12/2015	LeBeau	D8/367	2009/0000086 A1 *	1/2009	Bing	F16B 45/06
									24/592.11
					2011/0214939 A1	9/2011	Botti		

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7