



US00D765503S

(12) **United States Design Patent** (10) **Patent No.:** **US D765,503 S**
Shiffer et al. (45) **Date of Patent:** **** Sep. 6, 2016**

(54) **CONTAINER**

(71) Applicant: **Tech II, Inc.**, Springfield, OH (US)

(72) Inventors: **Eric Shiffer**, North Lewisburg, OH (US); **Lisa S. Case**, Saint Paris, OH (US)

(73) Assignee: **Tech II, Inc.**, Springfield, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/492,082**

(22) Filed: **May 28, 2014**

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**

USPC **D9/428**

(58) **Field of Classification Search**

USPC D9/414, 415, 416, 419, 420, 421, 422, D9/423, 424, 425, 426, 427, 428, 429, 432, D9/454, 457, 652, 667, 721, 904; D7/619.1; 229/400, 401, 403, 404, 229/405, 406, 407, 779; 220/592.16, 220/656-659, 662, 665, 669-675, 220/4.21-4.27; 206/6.1, 214, 217, 431, 206/503, 514, 521.1, 528, 530, 557, 564, 206/775, 776, 779

CPC A47J 36/06; A47J 47/14; B65D 1/22; B65D 1/34; B65D 1/40; B65D 1/165; B65D 15/02; B65D 21/083; B65D 21/0233; B65D 21/0234; B65D 43/162; B65D 71/50; B65D 77/24; B65D 77/245; B65D 81/3869; B65D 2543/00046; B65D 2543/00083; B65D 2543/00092; B65D 2543/00296; B65D 3/06; B65D 3/28; B65D 5/4204; B65D 7/46; B65D 85/34; B21D 51/18; B21D 51/2646; A45C 11/16

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,671 S * 9/1997 Phillips D7/629
D429,464 S * 8/2000 Helms D9/431

D496,272 S * 9/2004 Jackson D7/602
D548,588 S * 8/2007 Bouveret D9/428
D584,145 S * 1/2009 Young D9/435
D630,899 S * 1/2011 Samartgis D7/602
D632,559 S * 2/2011 Georgiadis D9/424
D643,710 S * 8/2011 Samartgis D9/424
D645,738 S 9/2011 Shiffer et al.
D646,160 S 10/2011 Shiffer et al.
D650,660 S 12/2011 Shiffer et al.
D650,661 S 12/2011 Shiffer et al.

(Continued)

Primary Examiner — Karen S Acker

Assistant Examiner — Wendy Arminio

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck LLP

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a container showing our new design;

FIG. 2 is a bottom perspective view showing the design for the container of FIG. 1;

FIG. 3 is a top plan view showing the design for the container of FIG. 1;

FIG. 4 is a bottom plan view showing the design for the container of FIG. 1;

FIG. 5 is a left side elevational view showing the design for the container of FIG. 1;



FIG. 6 is a right side elevational view showing the design for the container of FIG. 1;

FIG. 7 is a front elevational view showing the design for the container of FIG. 1; and,

FIG. 8 is a back elevational view showing the design for the container of FIG. 1.

The broken lines shown in the figures illustrate portions of the container that form no part of the claimed design. The dot-dash-dot broken lines depict the boundaries of the claim and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D650,662 S12/2011Shiffer et al.
D650,663 S12/2011Shiffer et al.
D655,578 S*3/2012Samartgis D7/602

D656,815 S*4/2012Fisher D32/53
D717,122 S*11/2014Carlson D7/602
D732,385 S*6/2015Bouveret D9/425
2006/0201946 A1*9/2006Witt B29C 65/10
220/276

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8