

US00D766034S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,034 S**
Toso et al. (45) **Date of Patent:** **** Sep. 13, 2016**

(54) **MILK FROTHING DEVICE**
(71) Applicant: **Hausbrandt Trieste 1892 S.p.A.**,
Nervesa della Battaglia (Treviso) (IT)
(72) Inventors: **Pio Toso**, Zero Branco (IT); **Tito Toso**,
Zero Branco (IT)
(73) Assignee: **HAUSBRANDT TRIESTE 1892**
S.P.A., Nervesa Della Battaglia
(Treviso) (IT)
(**) Term: **14 Years**
(21) Appl. No.: **29/514,780**
(22) Filed: **Jan. 16, 2015**
(30) **Foreign Application Priority Data**
Jul. 18, 2014 (EM) 002505404
(51) **LOC (10) Cl.** **31-00**
(52) **U.S. Cl.**
USPC **D7/377; D7/376; D7/378; D7/380;**
D7/412
(58) **Field of Classification Search**
USPC D6/708.23; D7/372, 376-386,
D7/412-413, 602, 629, 665-666, 669, 679,
D7/693-694
CPC A21C 1/02; A21C 1/04; A23N 1/00;
A23N 1/02; A47J 43/04; A47J 43/25; A47J
43/27; A47J 43/042; A47J 43/044; A47J
43/046; A47J 43/075; A47J 43/0711; A47J
43/0722; A47J 43/0727; A47J 43/105;
B01F 3/00; B01F 3/0807; B01F 3/0853;
B01F 7/00175; B01F 7/00641; B01F 7/1605;
B01F 13/0059; B01F 13/0064; B01F 15/00;
B02C 1/08; B02C 2/04; B02C 4/42; B02C
4/142; B02C 4/143; B02C 4/423; B02C
13/1835; B28C 5/10; B28C 5/12; B28C
5/14; B28C 5/16
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
950,152 A * 2/1910 Gaar B01F 15/00
261/87
2,254,236 A * 9/1941 Myers A47J 43/0711
366/343
2,753,162 A * 7/1956 Conley B01F 7/00175
366/129
2,772,079 A * 11/1956 Arthur A47J 43/0711
416/175
3,063,685 A * 11/1962 Rommel A47J 43/105
366/129
3,147,958 A * 9/1964 Stiffler A47J 43/0722
241/98
3,319,939 A * 5/1967 Rogenski A47J 43/0711
416/204 R
4,004,786 A * 1/1977 Stephens B01F 7/00641
366/316
D476,192 S * 6/2003 Bodum D7/412
D507,436 S * 7/2005 Chao D6/366
7,674,034 B2 * 3/2010 Kozłowski B01F 7/1605
366/317
D686,427 S * 7/2013 Plested D6/708.23

* cited by examiner
Primary Examiner — Ricky Pham
(74) *Attorney, Agent, or Firm* — Fredrikson & Byron, P.A.

(57) **CLAIM**
We claim the ornamental design for a milk frothing device,
as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a milk frothing device
showing our new design;
FIG. 2 is a top view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is an front view thereof; and,
FIG. 7 is a rear view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

