



US00D766071S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,071 S**  
**Spater** (45) **Date of Patent:** **\*\* Sep. 13, 2016**

(54) **J-CLIP**  
(71) Applicant: **Christopher B Spater**, Exeter, NH (US)  
(72) Inventor: **Christopher B Spater**, Exeter, NH (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/524,679**  
(22) Filed: **Apr. 22, 2015**  
(51) **LOC (10) Cl.** ..... **08-05**  
(52) **U.S. Cl.**  
USPC ..... **D8/356**  
(58) **Field of Classification Search**  
USPC ..... D32/361; D9/434; D24/143; 24/129 R,  
24/18, 130, 289, 297, 457; 606/203;  
D8/354, 356, 382, 394, 367, 349, 381,  
D8/396; D12/217; 248/75, 301, 302, 303,  
248/304, 339, 205.3, 544; 242/615;  
294/209, 24, 2, 210, 211; 403/53, 91  
CPC ..... B60T 3/00; H02G 3/045; F16B 2/00;  
A63B 27/00  
See application file for complete search history.

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**  
582,780 A 5/1857 Eldeidge  
D175,302 S 8/1955 Gale  
D241,118 S \* 8/1976 Schreyer ..... D8/367  
4,095,316 A 6/1978 Gabriel  
D271,465 S \* 11/1983 Boissonnet ..... D8/367  
D272,717 S \* 2/1984 Faidide ..... D8/367  
D281,483 S 11/1985 Faidide  
D282,904 S 3/1986 Faidide  
D348,214 S \* 6/1994 Girardin ..... D8/367  
5,538,303 A \* 7/1996 Dunham ..... B63B 21/54  
24/599.1  
5,913,479 A 6/1999 Westwood, III  
D444,052 S \* 6/2001 Catlett ..... D8/367

D444,685 S 7/2001 Shenkel  
D455,642 S \* 4/2002 Kelleghan ..... D8/367  
D468,997 S 1/2003 Chang  
6,601,274 B2 \* 8/2003 Gartsbeyn ..... F16B 45/02  
24/599.8  
D485,431 S \* 1/2004 Hsu ..... D3/210  
D521,362 S \* 5/2006 Kelleghan ..... D8/356  
D573,875 S \* 7/2008 Anderson ..... D8/367  
D577,574 S \* 9/2008 Liang ..... D8/356  
D595,119 S \* 6/2009 Kelleghan ..... D8/356  
D598,732 S \* 8/2009 Bizzell ..... D8/356  
D608,184 S \* 1/2010 Kelleghan ..... D8/356  
D608,187 S \* 1/2010 Baron ..... D8/367  
D624,306 S \* 9/2010 Case ..... D3/207  
D625,988 S \* 10/2010 Chan ..... D8/367  
D626,393 S 11/2010 Ormsbee  
D639,046 S \* 6/2011 Ormsbee ..... D3/207  
D646,556 S 10/2011 Kelleghan  
D652,971 S \* 1/2012 Ormsbee ..... D26/38  
D670,902 S \* 11/2012 McSweyn ..... D3/208  
D698,625 S \* 2/2014 Liang ..... D8/356  
D698,626 S \* 2/2014 Ormsbee ..... D8/356  
D698,636 S \* 2/2014 Weinberg ..... D8/356  
D702,109 S \* 4/2014 Weinberg ..... D8/356  
D702,110 S \* 4/2014 Gobbi ..... D8/356  
D708,843 S \* 7/2014 Warner ..... D3/207  
D729,513 S \* 5/2015 Jiang ..... D3/207


(Continued)

Primary Examiner — Cynthia Underwood

(57) **CLAIM**  
The ornamental design for a j-clip, as shown and described.

**DESCRIPTION**  
FIG. 1 shows a perspective view of my design for a j-clip;  
FIG. 2 is a front view thereof;  
FIG. 3 is a back view thereof;  
FIG. 4 is a top view thereof;  
FIG. 5 is a bottom view thereof;  
FIG. 6 is a side view thereof; and,  
FIG. 7 is another side view thereof.  
The j-clip of the present invention is designed to attach to a piece of webbing and can be used to clip things to.

**1 Claim, 2 Drawing Sheets**



# US D766,071 S

Page 2

---


(56)

## References Cited


### U.S. PATENT DOCUMENTS

D729,619 S *	5/2015	Cherin .....	D8/394	9,255,602 B2 *	2/2016	Liang .....	F16B 45/02
D735,559 S *	8/2015	Liang .....	D8/356	D755,612 S *	5/2016	Cooper .....	D8/367
D743,778 S *	11/2015	Huang .....	D8/367	D758,172 S *	6/2016	Hung .....	D8/367
D746,126 S *	12/2015	LeBeau .....	D8/367	2002/0050032 A1 *	5/2002	Carnall .....	F16B 45/02 24/600.2
				2009/0000086 A1 *	1/2009	Bing .....	F16B 45/06 24/592.11


\* cited by examiner




**Fig. 1**




**Fig. 2**




**Fig. 3**




**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**