

US00D766087S

(12) **United States Design Patent**
Strachan

(10) **Patent No.:** **US D766,087 S**
(45) **Date of Patent:** **** Sep. 13, 2016**

(54) **CONTAINER CLOSURE**

(56) **References Cited**

(71) Applicant: **FIRST QUALITY PACKAGING SOLUTIONS, LLC**, Great Neck, NY (US)

(72) Inventor: **Mark Strachan**, Jupiter, FL (US)

(73) Assignee: **First Quality Packaging Solutions, LLC**, Great Neck, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/519,660**

(22) Filed: **Mar. 6, 2015**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**

USPC **D9/454**; D9/434; D9/435; D9/452

(58) **Field of Classification Search**

USPC D3/202, 203.1, 203.2, 273, 275, 294, D3/318; D7/300, 300.1, 316, 317, 387, D7/391, 392.1, 393, 396.2, 509, 510, 511, D7/523, 525, 526, 527, 528, 529, 530, 531, D7/538, 541, 549, 629, 703, 900; D9/434, D9/435, 438, 439, 440, 443, 446, 447, 448, D9/449, 450, 452, 453, 454, 502, 503, 504, D9/529, 516, 517; D10/123, 126; D12/204, 213, 454; D8/349, 350, 352; D19/70, 71, 93, 115, 162, 163, 165, D19/192, 194; D24/121, 127, 197, 224; D26/36, 123, 124; D28/7, 76, 78, 82, D28/85, 91; D34/1, 7, 10, 11; 206/534, 206/459.1; 215/222, 232, 201, 211, 216, 215/217, 218, 220, 342, 341; 220/253; 222/548, 288, 239.4, 239.3

CPC B65D 23/00; B65D 2501/00; B65D 2501/0009; B65D 1/00; B65D 1/02; B65D 1/0223; B65D 51/1694; B65D 43/0212; B65D 43/0208; A47J 36/027

See application file for complete search history.

U.S. PATENT DOCUMENTS

D468,207 S *	1/2003	Brown	D9/435
D516,912 S *	3/2006	LaMasney	D9/454
D516,913 S *	3/2006	LaMasney	D9/454
D637,081 S *	5/2011	Collins	D9/452
D642,920 S *	8/2011	Taylor	D9/453
8,047,398 B2 *	11/2011	Dimartino	B65D 43/0212 215/344
8,191,728 B2 *	6/2012	Auer	A47J 36/027 215/216
D670,166 S *	11/2012	Lavender	D9/452

(Continued)

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — Amster, Rothstein & Ebenstein, LLP

(57) **CLAIM**



The ornamental design for a container closure, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a new container closure showing my new design; FIG. 2 is a top plan view of the container closure of FIG. 1; FIG. 3 is a bottom plan view of the container closure of FIG. 1; FIG. 4 is a first side view of the container closure of FIG. 1; FIG. 5 is a second side view of the container closure of FIG. 1; FIG. 6 is an inverted third side view of the container closure of FIG. 1; and, FIG. 7 is a fourth side view of the container closure of FIG. 1.

The broken lines are shown for the purpose of illustrating parts of the container closure that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D766,087 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D674,697 S * 1/2013 Biesecker D9/441
8,424,711 B2 * 4/2013 Charbonnet B65D 43/0208
220/703

D690,201 S * 9/2013 Klebeck D9/439
D739,233 S * 9/2015 Antal, Sr. D9/435
2013/0327783 A1 * 12/2013 Blake B65D 51/1694
220/780

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7