



US00D766584S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,584 S**  
**Blouin et al.** (45) **Date of Patent:** **\*\* Sep. 20, 2016**

- (54) **BRUSH HEAD**
- (71) Applicant: **GARANT GP**, Saint-François (CA)
- (72) Inventors: **Carl Blouin**, Lévis (CA); **David Boies**, Lévis (CA); **Eveline Drolet**, Lévis (CA); **François Parenteau**, Quebec (CA); **Johnathan Côté**, Boucherville (CA)
- (73) Assignee: **Garant GP**, St-François (CA)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/517,714**
- (22) Filed: **Feb. 16, 2015**
- (51) **LOC (10) Cl.** ..... **04-01**
- (52) **U.S. Cl.**  
USPC ..... **D4/118**
- (58) **Field of Classification Search**  
USPC ..... D4/114, 118, 119, 120, 138, 199;  
D8/15, 16, 19, 62, 90, 101; D24/119,  
D24/146, 180, 200; D32/40, 41, 44, 46, 50,  
D32/51, 52, 57  
CPC .... A46B 5/00; A46B 5/0004; A46B 5/0016;  
A46B 11/00; A46B 11/001; A46B 11/0006;  
A46B 2200/304; A46B 2200/3006; A46B  
2200/3093; A47L 13/10; A47L 13/16;  
A47L 13/20; A47L 13/24; A47L 13/254  
See application file for complete search history.

- (56) **References Cited**  
U.S. PATENT DOCUMENTS
- |           |     |         |              |        |
|-----------|-----|---------|--------------|--------|
| 3,968,535 | A   | 7/1976  | Nichols, Jr. |        |
| D249,821  | S * | 10/1978 | Cooke        | D32/50 |
| D304,892  | S * | 12/1989 | Bevilacqua   | D32/46 |
| D308,139  | S   | 5/1990  | Viner        |        |
| D315,975  | S   | 4/1991  | Huang        |        |
| D346,903  | S   | 5/1994  | Hillmer      |        |
| D366,738  | S * | 1/1996  | Israel       | D32/42 |
| D378,322  | S   | 3/1997  | Young        |        |

- |              |     |         |                     |         |
|--------------|-----|---------|---------------------|---------|
| D386,907     | S * | 12/1997 | Rittenbaum          | D32/50  |
| D402,029     | S * | 12/1998 | Shinabarger         | D24/112 |
| D417,007     | S * | 11/1999 | Davis               | D24/200 |
| D425,992     | S * | 5/2000  | Davis               | D24/189 |
| D444,952     | S   | 7/2001  | Mason, Jr.          |         |
| D481,501     | S   | 10/2003 | Richter             |         |
| D502,580     | S   | 3/2005  | Williams            |         |
| D552,814     | S * | 10/2007 | Munro               | D32/40  |
| D562,007     | S * | 2/2008  | Liu                 | D4/132  |
| D563,618     | S * | 3/2008  | Jiang               | D32/50  |
| D575,515     | S   | 8/2008  | Arend               |         |
| D609,920     | S * | 2/2010  | Lee                 | D32/51  |
| D624,262     | S   | 9/2010  | Gringer             |         |
| D638,596     | S * | 5/2011  | Vasilakes           | D32/50  |
| D672,107     | S * | 12/2012 | Van Landingham, Jr. | D32/50  |
| 2002/0078518 | A1  | 6/2002  | Jiang               |         |
| 2013/0097793 | A1  | 4/2013  | Henningsen          |         |

\* cited by examiner


*Primary Examiner* — Susan E Krakower  
*Assistant Examiner* — Lisa A Grabenstetter  
(74) *Attorney, Agent, or Firm* — Gwendoline

(57) **CLAIM**  
The ornamental design for a brush head, as shown and described.

**DESCRIPTION**

FIG. 1 is perspective view of a brush head showing our new design, shown in a reduced scale and in environmental use; FIG. 2 is a front view thereof; FIG. 3 is a back view thereof; FIG. 4 is a first side elevational view thereof; FIG. 5 is a second side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof. The broken line portions of FIGS. 1-7 show unclaimed subject matter only and form no part of the claimed design. The broken line illustration of a brush handle in FIG. 1 shows unclaimed environment and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






FIG-1




FIG. 2




FIG. 3






FIG-5




FIG-4




FIG-6




FIG-7