



US00D766733S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,733 S**
Ackerman et al. (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **FLEXIBLE PACKAGE WITH CONTOURED SEAL AND STRAIGHT SEAL**

75/5811; B65D 75/5805
See application file for complete search history.

(71) Applicant: **Cryovac, Inc.**, Duncan, SC (US)

(56) **References Cited**

(72) Inventors: **David L. Ackerman**, Greenville, SC (US); **Steven T. Calvert**, Simpsonville, SC (US); **Stephen F. Compton**, Spartanburg, SC (US); **Hubert J. Cook**, Simpsonville, SC (US); **Csaba Frank Kiss**, Simpsonville, SC (US)

U.S. PATENT DOCUMENTS

| | | | | | | |
|----------|---|---|---------|-------------|-------|---------|
| D336,034 | S | * | 6/1993 | Rebilas | | D24/118 |
| D354,906 | S | * | 1/1995 | Lane, Jr. | | D24/118 |
| D360,824 | S | * | 8/1995 | Ossendryver | | D9/709 |
| D375,676 | S | * | 11/1996 | Davis | | D9/707 |
| D478,276 | S | * | 8/2003 | Mobs | | D9/707 |
| D662,833 | S | * | 7/2012 | Sanfilippo | | D9/707 |
| D689,776 | S | * | 9/2013 | Murray | | D9/707 |
| D744,853 | S | * | 12/2015 | Murray | | D9/707 |

(73) Assignee: **Cryovac, Inc.**, Charlotte, NC (US)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Abraham Bahta

(21) Appl. No.: **29/533,924**

(74) *Attorney, Agent, or Firm* — Andrew R. Aranda

(22) Filed: **Jul. 23, 2015**

(51) **LOC (10) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/707**

(57) **CLAIM**

The ornamental design for a flexible package with a contoured seal and a straight seal, as shown and described.


(58) **Field of Classification Search**

USPC 383/6, 9, 22, 96, 61.1, 80-81, 104, 901, 383/63, 203, 107, 119, 120, 123; D24/118, D24/207; 222/107, 92, 206; 604/408, 410, 604/403; 220/495.03, 669, 675; 215/381-385, 12.1; D3/202, 303, 232, D3/244
CPC B65D 33/00; B65D 33/16; B65D 33/24; B65D 1/00; B65D 1/09; B65D 1/32; B65D 35/00; B65D 35/02; B65D 35/04; B65D 35/08; B65D 75/00; B65D 75/008; B65D

DESCRIPTION

FIG. 1 is a top and right side perspective view of a flexible package with a contoured seal and a straight seal; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a front elevational view thereof; and, FIG. 7 is a rear elevational view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7