

US00D766734S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,734 S**
Fitzsimmons et al. (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **FLEXIBLE POUCH WITH INTERNAL STRUCTURE**

(71) Applicant: **Perimeter Brand Packaging, LLC**, Northborough, MA (US)

(72) Inventors: **William Tyler Fitzsimmons**, Stow, MA (US); **Isaac Haverlick**, Brighton, MA (US); **Shane Yellin**, Dover, MA (US); **David G. Honan**, Concord, MA (US); **Roger R. Fontaine**, North Smithfield, RI (US); **Steven Callahan**, Westborough, MA (US); **Mark A. Nichols**, Newton Highlands, MA (US)

(73) Assignee: **Perimeter Brand Packaging, LLC**, Northborough, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/455,176**

(22) Filed: **May 17, 2013**

(51) **LOC (10) Cl.** **09-05**

(52) **U.S. Cl.**
USPC **D9/709**

(58) **Field of Classification Search**

USPC D9/702-714, 434-435, 522, 696, D9/720-722, 716, 447, 440; D7/319, 317, D7/522, 531, 321; 215/385; 206/811; 383/6, 9, 96, 107, 119-120, 123, 108, 383/92, 61.1, 80-81, 104, 63, 103, 203; D24/118, 207; 222/92, 107, 206; 604/408, 410, 403; 220/495.03; D3/202

CPC B65D 1/00; B65D 1/02; B65D 1/095; B65D 1/0207; B65D 1/0223; B65D 1/0246; B65D 1/10; B65D 1/16; B65D 7/00; B65D 7/02; B65D 7/14; B65D 41/00; B65D 41/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D396,630	S	*	8/1998	Lerner	D9/709
D528,011	S	*	9/2006	Ueda	D9/702
D560,122	S	*	1/2008	Fuchs et al.	D9/708
D609,906	S	*	2/2010	Guyon et al.	D3/243
D619,906	S	*	7/2010	Carignan et al.	D9/708

(Continued)

Primary Examiner — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Brian M. Dingman; Dingman, McInnes & McLane, LLP

(57) **CLAIM**

We claim the ornamental design for a flexible pouch with internal structure, as shown and described.

DESCRIPTION

FIG. 1 is a front, top perspective view of the flexible pouch with an internal structure;

FIG. 2 is a front, bottom perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view; the left side view is a mirror image thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is front, top perspective view thereof;

FIG. 9 is front, rear perspective view of the internal structure of the pouch shown separately for clarity of disclosure;

FIG. 10 is front view; the rear view is a mirror image thereof;

FIG. 11 is right side view; the left side view is a mirror image thereof;

FIG. 12 is top view thereof;



FIG. 13 is bottom view thereof;

FIG. 14 is a perspective exploded view of the flexible pouch, internal structure of the pouch and the cap;

FIG. 15 is front cross-sectional view taken along line 15-15 in FIG. 5; and,

FIG. 16 is side cross-sectional view taken along line 16-16 in FIG. 3.

1 Claim, 16 Drawing Sheets



US D766,734 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D639,677 S * 6/2011 Ueda et al. D9/708
D644,937 S * 9/2011 Ueda et al. D9/708
D656,038 S * 3/2012 Molayem D9/708

D664,863 S * 8/2012 Kristoff D9/709
D667,313 S * 9/2012 Hensen D9/708
D677,581 S * 3/2013 Murray D9/709
D686,088 S * 7/2013 Murray D9/708
D687,721 S * 8/2013 Karwowska D9/710

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13

FIG. 14






FIG. 15




FIG. 16