

US00D766842S

(12) **United States Design Patent** (10) **Patent No.:** **US D766,842 S**
Lewis (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **TRIPLE FOOT PEDAL CONTROL**
(71) Applicant: **Linemaster Switch Corporation,**
Woodstock, CT (US)
(72) Inventor: **Sean Lewis,** Holland, MA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/543,905**
(22) Filed: **Oct. 29, 2015**
(51) **LOC (10) Cl.** **13-03**
(52) **U.S. Cl.**
USPC **D13/167**
(58) **Field of Classification Search**
USPC D13/167; D24/179; D17/20, 99
CPC A61B 17/00; A61B 2017/00973;
A61C 1/0023; H01H 3/14; H01H 13/14;
H01H 13/16; H01H 21/26; G06F 3/0334
See application file for complete search history.

2005/0172404 A1* 8/2005 Diller A61G 13/02
5/616
2009/0205937 A1* 8/2009 Kuehner H01H 21/26
200/86.5
2010/0123604 A1* 5/2010 Shields A61B 1/00016
341/20
2010/0241115 A1* 9/2010 Benamou A61B 18/1233
606/33
2011/0011708 A1* 1/2011 Ellafrits A61B 6/00
200/86.5
2013/0168212 A1* 7/2013 Tseng H01H 13/16
200/86.5
2015/0216513 A1* 8/2015 Hamel A61B 17/32002
340/12.5
2016/0067010 A1* 3/2016 Nam A61C 1/084
433/27

* cited by examiner

Primary Examiner — Selina Sikder

(57) **CLAIM**
The ornamental design for a triple foot pedal control, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the triple foot pedal control showing my new design;
FIG. 2 is a front view of the triple foot pedal control of FIG. 1;
FIG. 3 is a rear view of the triple foot pedal control of FIG. 1;
FIG. 4 is a left side view of the triple foot pedal control of FIG. 1;
FIG. 5 is a right side view of the triple foot pedal control of FIG. 1;
FIG. 6 is a top view of the triple foot pedal control of FIG. 1; and,
FIG. 7 is a bottom view of the triple foot pedal control of FIG. 1.
The broken lines in FIG. 7 are illustrative of environmental structure only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

D517,022 S * 3/2006 Pollard D13/167
D517,501 S * 3/2006 Kotyk D13/167
D542,739 S * 5/2007 Pollard D13/167
D542,740 S * 5/2007 Pollard D13/167
D559,200 S * 1/2008 Schurg D13/167
7,428,439 B1 * 9/2008 Reynolds G06F 3/0383
318/400.18
D589,460 S * 3/2009 Yang D13/167
7,498,532 B2 * 3/2009 Kuhner H01H 3/14
200/86.5
D592,157 S * 5/2009 Shields D13/167
D665,756 S * 8/2012 Tseng D13/167
D669,441 S * 10/2012 Naef D13/167
D713,529 S * 9/2014 Li D13/167
8,853,571 B2 * 10/2014 Tseng H01H 13/16
200/86.5
9,035,165 B2 * 5/2015 Cho G10H 1/0008
84/746




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

