

US00D767189S

(12) **United States Design Patent** (10) **Patent No.:** **US D767,189 S**
Schaak (45) **Date of Patent:** **** Sep. 20, 2016**

(54) **DESKTOP LAMP WITH SLOTTED MOUND BASE**

(71) Applicant: **ADESSO INC.**, New York, NY (US)

(72) Inventor: **Lee Schaak**, Dix Hills, NY (US)

(73) Assignee: **Adesso Inc.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/521,911**

(22) Filed: **Mar. 26, 2015**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/62**

(58) **Field of Classification Search**
USPC D26/61, 62, 63, 65, 93, 107
CPC F21S 6/00; F21S 6/002; F21V 21/02;
F21V 21/14; F21V 21/32; F21W 2131/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,692,850	A *	9/1987	LeDoux	F21V 21/02
					362/285
D329,298	S *	9/1992	Huang	D26/62
D411,638	S *	6/1999	Schaak	D26/62
D506,018	S *	6/2005	Campo	D26/62
D513,085	S *	12/2005	Shiu	D26/62

* cited by examiner

Primary Examiner — Brian N Vinson
(74) *Attorney, Agent, or Firm* — Leason Ellis LLP

(57) **CLAIM**
The ornamental design for a desktop lamp with slotted mound base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a desktop lamp with slotted mound base showing my new design, in a first environment shown in broken lines including a control switch and a lamp head;

FIG. 2 is a front plan view of FIG. 1, showing a second environment having an alternative lamp head shown in broken lines;

FIG. 3 is a rear plan view of FIG. 2, further showing female sockets in broken lines;

FIG. 4 is a left side view of FIG. 1, showing a third environment having a second alternative lamp head shown in broken lines;

FIG. 5 is a right side view of FIG. 4;


FIG. 6 is a top plan view of FIG. 1, showing a fourth environment having a third alternative lamp head shown in broken lines;

FIG. 7 is a bottom plan view of FIG. 6; and,

FIG. 8 is a side plan view of FIG. 5, showing an environment which includes a glow shown in broken lines, which the desktop lamp with slotted mound base can impart to a support surface adjacent to the base.

The broken lines shown in the Figures of the support surface, the union of the base with the neck, the control switch, the lamp heads/shades, the feet, and the female sockets, as well as their respective placement, size and configuration, illustrate the environment only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8