



US00D767216S

(12) **United States Design Patent**  
**Hickling**

(10) **Patent No.:** **US D767,216 S**

(45) **Date of Patent:** **\*\* Sep. 20, 2016**

(54) **LEASH ANCHOR**

(71) Applicant: **Derik Eugene Hickling**, Seattle, WA  
(US)

(72) Inventor: **Derik Eugene Hickling**, Seattle, WA  
(US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/529,119**

(22) Filed: **Jun. 3, 2015**

**Related U.S. Application Data**

(63) Continuation of application No. 14/694,882, filed on  
Apr. 23, 2015.

(51) **LOC (10) Cl.** ..... **30-09**

(52) **U.S. Cl.**  
USPC ..... **D30/154; D8/349**

(58) **Field of Classification Search**  
USPC ..... **D30/154; D8/349, 354; D21/840;**  
**119/747, 769, 780, 786, 787, 788, 791,**  
**119/795, 797; 135/118; 248/519, 521, 523,**  
**248/530, 545, 546; 52/155, 158, 159, 162**  
CPC ..... **A01K 1/04**  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 1,092,036 A \* 3/1914 Pry ..... A01K 1/04  
119/786
- 1,308,940 A \* 7/1919 Eggleston ..... E02D 5/80  
52/155
- 1,427,889 A \* 9/1922 Wittmann ..... B60B 39/12  
135/118
- 2,817,346 A \* 12/1957 Whitney ..... E04H 15/62  
D30/154
- D208,013 S \* 6/1967 Carr-Harris ..... 135/118
- D245,032 S \* 7/1977 Hoffmann ..... 119/780

- D274,451 S \* 6/1984 Wolf ..... D21/840
- 4,905,718 A \* 3/1990 Vandiver ..... E04H 15/62  
D30/154
- 6,938,384 B1 \* 9/2005 Hodge ..... E04H 15/62  
D8/391
- D632,442 S \* 2/2011 Beck ..... D30/154
- D658,259 S \* 4/2012 Zhou ..... D21/840
- D732,624 S \* 6/2015 Esarey ..... D21/840
- 2015/0327509 A1 \* 11/2015 Hickling ..... A01K 1/04  
119/786

**OTHER PUBLICATIONS**

“18” Mailbox Spike Anchor”. Found online Jun. 17, 2016 at  
drillspot.com. Page dated Mar. 6, 2014. Retrieved from [https://web.archive.org/web/20140306064422/http://www.drillspot.com/products/315341/Steel\\_City\\_SS-24\\_18Mailbox\\_Spike\\_Anchor](https://web.archive.org/web/20140306064422/http://www.drillspot.com/products/315341/Steel_City_SS-24_18Mailbox_Spike_Anchor).\*

“Shore Spike Boat Anchor”. Found online Jun. 17, 2016 at overtons.com. Page dated c. 2011. Retrieved from <http://www.overtons.com/modperl/product/details.cgi?i=76827>.\*

(Continued)

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Kendra L Hamilton

(74) *Attorney, Agent, or Firm* — Michelle E. Carey; Telekta Law, P.S.

(57) **CLAIM**

The ornamental design for a leash anchor, as shown and described.

**DESCRIPTION**

FIG. 1 is a top-right isometric view of a leash anchor, showing my new design;

FIG. 2 is a right elevational view thereof;

FIG. 3 is a left elevational view thereof;


FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**



(56)


**References Cited**

OTHER PUBLICATIONS


“Hyper Pet Pooch Post”. Found online Jun. 17, 2016 at mymindwontstop.blogspot.com. Page dated Oct. 21, 2012. Retrieved from <http://mymindwontstop.blogspot.com/2012/10/hyper-pet-pooch-post.html>.\*

“Metal Screw-In Dog Lead Stake”. Found online Jun. 17, 2016 at amazon.co.uk. Page dated May 22, 2008. Retrieved from <https://www.amazon.co.uk/Metal-Screw-In-Dog-Lead-Stake/dp/B001A2XG7G>.\*


\* cited by examiner




***FIG. 1***




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**