



US00D767402S

(12) **United States Design Patent**
Bhattacharyya et al.

(10) **Patent No.: US D767,402 S**

(45) **Date of Patent: ** Sep. 27, 2016**

(54) **BOTTLE WITH CAP**

(71) Applicant: **Reckitt Benckiser (Brands) Limited**,
Berkshire (GB)

(72) Inventors: **Sukanta Bhattacharyya**, Ghaziabad
(IN); **Christopher Leonard Padain**,
Henley on Thames (GB); **Stephanie**
Anne Marije Verschoor, Middlesex
(GB); **Randy Bos**, Eindhoven (NL);
Sander Willem Thijssen, Eindhoven
(NL)

(73) Assignee: **RECKITT BENCKISER (BRANDS)**
LIMITED, Berkshire (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/525,625**

(22) Filed: **Apr. 30, 2015**

Related U.S. Application Data

(62) Division of application No. 29/479,437, filed on Jan.
16, 2014, now Pat. No. Des. 749,960.

(30) **Foreign Application Priority Data**

Aug. 5, 2013 (EM) 002286617-0001
Sep. 16, 2013 (EM) 002310243-0001
Dec. 18, 2013 (EM) 001394688-0001
Dec. 18, 2013 (EM) 001394688-0002
Dec. 18, 2013 (EM) 001394688-0003

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/529; D9/435; D9/549; D9/563;**
D9/571

(58) **Field of Classification Search**

USPC D3/202, 242, 201, 203.1, 203.7, 901;
D6/515, 524, 542; D7/300.1, 307, 312,
D7/313, 322, 509-511, 538, 601, 602,
D7/619.1, 300, 314, 317, 321, 392.1;
D9/416, 432, 434, 435, 500, 516, 518,
D9/522, 523, 524, 525, 526, 529, 530, 531,

D9/539, 541, 542, 544, 549, 550, 551, 556,
D9/562, 560, 563, 569, 571, 574, 655, 658,
D9/738, 902; D19/93; D24/121, 124, 197,
D24/224; 220/212.5, 254.3, 254.4, 326,
220/719; 215/381-385

CPC B65D 1/02; B65D 1/0233; B65D 1/08;
B65D 1/10; B65D 47/065; B65D 47/066;
A47G 19/22; A47G 19/2205; A47G 19/2266;
A61J 1/03; A61J 1/05

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D252,014 S * 6/1979 Furlong D9/529
D358,331 S * 5/1995 Hoyt D9/525

(Continued)

Primary Examiner — Sheryl Lane

Assistant Examiner — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — Troutman Sanders LLP;
Ryan A. Schneider; Chris N. Davis

(57) **CLAIM**

The ornamental design for a bottle with cap, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle with cap of the
present invention;

FIG. 2 is a side view of the bottle with cap of FIG. 1;

FIG. 3 is the other side view of the bottle with cap of FIG.
1;

FIG. 4 is a rear view of the bottle with cap of FIG. 1;



FIG. 5 is a front view of the bottle with cap of FIG. 1;

FIG. 6 is a top plan view of the bottle with cap of FIG. 1;
and,

FIG. 7 is a bottom plan view of the bottle with cap of FIG.
1.

The broken lines represent the boundary of the claim and
form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D359,417 S * 6/1995 Chen D7/510
 D403,590 S * 1/1999 Wong D9/414
 D447,953 S * 9/2001 Brynestad D9/529
 D480,003 S * 9/2003 Blades D9/529
 D482,624 S * 11/2003 Hadkte D9/542
 D486,066 S * 2/2004 Hannen D9/523
 D533,069 S * 12/2006 Archeny D9/542
 D541,161 S * 4/2007 Ames D9/529
 D623,064 S * 9/2010 Salmon D9/524
 D653,081 S * 1/2012 George D7/316
 D658,915 S * 5/2012 Fernandes D6/542
 D666,498 S * 9/2012 Snyder D9/522
 D690,131 S * 9/2013 Clough D6/542

8,602,238 B2 * 12/2013 El-Saden B65D 47/066
 215/389
 D699,996 S * 2/2014 De Leo D7/300.1
 D716,548 S * 11/2014 Seehoff D3/264
 D720,184 S * 12/2014 Gilbert D7/300.1
 D739,749 S * 9/2015 Bhattacharyya D9/523
 D742,748 S * 11/2015 Kuzma D9/542
 D749,960 S * 2/2016 Bhattacharyya D9/435
 2008/0237233 A1 * 10/2008 Choi B65D 47/065
 220/212.5
 2013/0020275 A1 * 1/2013 Zhou B65D 41/485
 215/43
 2015/0203253 A1 * 7/2015 Lee B65D 1/0223
 222/214
 2015/0292729 A1 * 10/2015 Sutton F21V 33/0024
 362/101

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7