

US00D767429S

(12) **United States Design Patent** (10) **Patent No.:** **US D767,429 S**  
**Garcia** (45) **Date of Patent:** **\*\* Sep. 27, 2016**

(54) **BAG SHAPED STRIKER**

(71) Applicant: **Arturo C. Garcia**, Fontana, CA (US)

(72) Inventor: **Arturo C. Garcia**, Fontana, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/515,977**

(22) Filed: **Jan. 28, 2015**

(51) **LOC (10) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
 USPC ..... **D10/120**

(58) **Field of Classification Search**  
 USPC ..... D10/118.1, 120  
 CPC ..... A63B 69/208; A63B 63/205; A01M  
 31/004; F21S 6/002  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,184,453	A *	12/1939	Hayes	.....	A63B 69/208 482/90
2,625,356	A *	1/1953	Kennedy	.....	A63B 69/205 248/121
2,815,952	A *	12/1957	Glasberg	.....	A63B 69/205 482/90
4,050,186	A *	9/1977	Shults	.....	A01M 31/004 446/207
4,915,660	A *	4/1990	Overholt, Sr.	.....	A01M 31/004 446/207
D325,233	S	4/1992	Brunette		
5,222,903	A *	6/1993	Parrott	.....	A01M 31/004 446/202
5,402,328	A *	3/1995	Pardo	.....	F21S 6/002 362/255
D384,378	S	9/1997	Sigler		
5,910,039	A *	6/1999	Primos	.....	A01M 31/004 446/207

7,384,323	B2 *	6/2008	Sceery	.....	A01M 31/004 446/202
7,635,287	B2 *	12/2009	May	.....	A01M 31/004 446/207
7,727,044	B1 *	6/2010	Johnson	.....	A01M 31/004 446/177
D627,014	S *	11/2010	Gustin	.....	D21/687
D642,950	S *	8/2011	Barden	.....	D10/119.1
8,814,759	B2 *	8/2014	Goldy	.....	A63B 69/24 482/83
8,931,767	B2 *	1/2015	Fu	.....	A63B 69/208 267/141
9,011,297	B2 *	4/2015	Sagall	.....	A63B 69/201 482/87

\* cited by examiner


*Primary Examiner* — George D Kirschbaum  
 (74) *Attorney, Agent, or Firm* — Kirk A. Buhler; Buhler & Associates

(57) **CLAIM**  
 The ornamental design for a bag shaped striker, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view for a bag shaped striker showing my new design;  
 FIG. 2 is a top perspective view thereof;  
 FIG. 3 is a front side view thereof;  
 FIG. 4 is a right side view, the left side view being a mirror image thereof;  
 FIG. 5 is a top side view thereof;  
 FIG. 6 is a bottom side view thereof; and,  
 FIG. 7 is a cross-sectional view cut through section 7-7 from FIG. 6 side view thereof.  
 The broken lines in FIG. 1 depict environmental subject matter of a mounting shaft for the invention and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7