



US00D767566S

(12) **United States Design Patent** (10) **Patent No.:** **US D767,566 S**
Morgenroth et al. (45) **Date of Patent:** **** Sep. 27, 2016**

(54) **WRIST WORN USER INTERFACE**

(56) **References Cited**

(71) Applicant: **Motorola Mobility LLC**, Chicago, IL (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Katherine C Morgenroth**, Los Gatos, CA (US); **Daniel T Berg**, Gilroy, CA (US); **Steve C Emmert**, McHenry, IL (US); **Thomas Gitzinger**, Libertyville, IL (US); **Dickon Isaacs**, Chicago, IL (US); **Hae Rim Jeong**, Chicago, IL (US)

D361,277	S	*	8/1995	Riley		D10/30
D373,538	S	*	9/1996	Riley		D10/30
D386,420	S	*	11/1997	Kennedy		D10/30
D386,421	S	*	11/1997	Kennedy		D10/30
D387,289	S	*	12/1997	Houlihan		D10/30
D398,862	S	*	9/1998	Craven		D10/31
D457,074	S	*	5/2002	Berri		D10/30
D467,820	S	*	12/2002	Berliat		D10/39
D547,211	S	*	7/2007	Dias		D10/39
D549,600	S	*	8/2007	Rousseau		D10/38
D554,003	S	*	10/2007	Journe		D10/31
D600,145	S	*	9/2009	Schoepfer		D10/38
D611,842	S	*	3/2010	Parmigiani		D10/38
D624,443	S	*	9/2010	Cerrato		D10/38
D632,979	S	*	2/2011	Chastaingt		D10/38
D650,711	S	*	12/2011	Laucella		D10/39
D651,099	S	*	12/2011	Ruffieux		D10/38
D660,727	S	*	5/2012	Parmigiani		D10/38
D678,081	S	*	3/2013	Cabiddu		D10/38
D694,655	S	*	12/2013	Rufenacht		D10/38
D718,154	S	*	11/2014	Gueit		D10/38
D726,677	S	*	4/2015	Choi		D10/38
D726,679	S	*	4/2015	Kim		D10/38
D727,751	S	*	4/2015	Lee		D10/35
D733,580	S	*	7/2015	Cerrato		D10/38
D733,582	S	*	7/2015	Gueit		D10/38
D742,260	S	*	11/2015	Park		D10/30
D743,282	S	*	11/2015	Park		D10/30
D746,816	S	*	1/2016	Lim		D10/38
D749,431	S	*	2/2016	Babcock		D10/30
D750,505	S	*	3/2016	Cerrato		D10/30

(73) Assignee: **Motorola Mobility LLC**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/518,720**

(22) Filed: **Feb. 26, 2015**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/344**

(58) **Field of Classification Search**

USPC D14/344, 138 R, 144, 358; D2/623, 626, D2/639, 878; D8/88, 356; D10/30-39, 70, D10/98; D11/3, 87, 93-94, 200, 201, 210, D11/216, 218, 221, 230-231; D24/167, D24/169, 186-187



CPC G06F 1/163; G06F 1/1628; G06F 1/1626; G06F 1/1635; G06F 1/08; G06F 1/10; G06F 1/04; G06F 1/14; G06F 1/3203; A41D 1/002; H04M 1/02; H04M 1/03; H04M 1/04; H04M 1/05; H04M 1/667; H04M 1/6058; Y02B 60/1217; H04B 1/385; H04B 1/3888; H04B 1/3833; A44C 5/00

See application file for complete search history.

OTHER PUBLICATIONS

Motorola Selects 10 Finalists for its Moto 360 Smartwatch Design "Face Off", posted Jun. 19, 2014, [retrieved Jul. 25, 2016]. Retrieved from Internet, <URL: <http://www.dailytech.com/Motorola+Selects+10+Finalists+for+its+Moto+360+Smartwatch+Design+Face+Off/article36082.htm> >.*

Freestyle Mens FS84913 The Response Round Touch Screen Case Watch, produced 2011, [retrieved Jul. 25, 2016]. Retrieved from Internet, <URL: <http://the247market.com/watches/freestyle/freestyle-mens-fs84913-the-response-round-touch-screen-case-watch.html#.V5ZHKv72bbo> >.*



Kenneth Cole New York Round Case Watch, 42mm, posted 4 years ago, [retrieved Jul. 25, 2016]. Retrieved from Internet, <URL: <http://shop.nordstrom.com/s/kenneth-cole-new-york-round-case-watch-42mm/3054522> >.*

Dickon Isaacs, et al., “User Interface”, U.S. Appl. No. 29/478,182, filed Jan. 2, 2014.

* cited by examiner

Primary Examiner — Barbara Fox

Assistant Examiner — Kristin E Reed

(57) **CLAIM**

The ornamental design for a wrist worn user interface, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of an ornamental design for a user interface;
 FIG. 2 is a rear perspective view of the first embodiment thereof;
 FIG. 3 is a front view of the first embodiment thereof;
 FIG. 4 is a rear view of the first embodiment thereof;
 FIG. 5 is a first side view of the first embodiment thereof;
 FIG. 6 is a second side view of the first embodiment thereof;
 FIG. 7 is a top view of the first embodiment thereof; and
 FIG. 8 is a bottom view of the first embodiment thereof.
 FIG. 9 is a front perspective view of a second embodiment of an ornamental design for a user interface;
 FIG. 10 is a rear perspective view of the second embodiment thereof;
 FIG. 11 is a front view of the second embodiment thereof;
 FIG. 12 is a rear view of the second embodiment thereof;
 FIG. 13 is a first side view of the second embodiment thereof;
 FIG. 14 is a second side view of the second embodiment thereof;
 FIG. 15 is a top view of the second embodiment thereof; and
 FIG. 16 is a bottom view of the second embodiment thereof.
 FIG. 17 is a front perspective view of a third embodiment of an ornamental design for a user interface;
 FIG. 18 is a rear perspective view of the third embodiment thereof; FIG. 19 is a front view of the third embodiment thereof;
 FIG. 20 is a rear view of the third embodiment thereof;
 FIG. 21 is a first side view of the third embodiment thereof;
 FIG. 22 is a second side view of the third embodiment thereof;
 FIG. 23 is a top view of the third embodiment thereof; and
 FIG. 24 is a bottom view of the third embodiment thereof.
 FIG. 25 is a front perspective view of a fourth embodiment of an ornamental design for a user interface;
 FIG. 26 is a rear perspective view of the fourth embodiment thereof;
 FIG. 27 is a front view of the fourth embodiment thereof;
 FIG. 28 is a rear view of the fourth embodiment thereof;

FIG. 29 is a first side view of the fourth embodiment thereof;
 FIG. 30 is a second side view of the fourth embodiment thereof;

FIG. 31 is a top view of the fourth embodiment thereof; and
 FIG. 32 is a bottom view of the fourth embodiment thereof.
 FIG. 33 is a front perspective view of a fifth embodiment of an ornamental design for a user interface;

FIG. 34 is a rear perspective view of the fifth embodiment thereof;

FIG. 35 is a front view of the fifth embodiment thereof;

FIG. 36 is a rear view of the fifth embodiment thereof;

FIG. 37 is a first side view of the fifth embodiment thereof;

FIG. 38 is a second side view of the fifth embodiment thereof;

FIG. 39 is a top view of the fifth embodiment thereof; and
 FIG. 40 is a bottom view of the fifth embodiment thereof.

FIG. 41 is a front perspective view of a sixth embodiment of an ornamental design for a user interface;

FIG. 42 is a rear perspective view of the sixth embodiment thereof;

FIG. 43 is a front view of the sixth embodiment thereof;

FIG. 44 is a rear view of the sixth embodiment thereof;

FIG. 45 is a first side view of the sixth embodiment thereof;

FIG. 46 is a second side view of the sixth embodiment thereof;

FIG. 47 is a top view of the sixth embodiment thereof; and
 FIG. 48 is a bottom view of the sixth embodiment thereof.

FIG. 49 is a front perspective view of a seventh embodiment of an ornamental design for a user interface;

FIG. 50 is a rear perspective view of the seventh embodiment thereof;

FIG. 51 is a front view of the seventh embodiment thereof;

FIG. 52 is a rear view of the seventh embodiment thereof;

FIG. 53 is a first side view of the seventh embodiment thereof;

FIG. 54 is a second side view of the seventh embodiment thereof;

FIG. 55 is a top view of the seventh embodiment thereof; and

FIG. 56 is a bottom view of the seventh embodiment thereof.

FIG. 57 is a front perspective view of an eighth embodiment of an ornamental design for a user interface;

FIG. 58 is a rear perspective view of the eighth embodiment thereof;

FIG. 59 is a front view of the eighth embodiment thereof;

FIG. 60 is a rear view of the eighth embodiment thereof;

FIG. 61 is a first side view of the eighth embodiment thereof;

FIG. 62 is a second side view of the eighth embodiment thereof;

FIG. 63 is a top view of the eighth embodiment thereof; and
 FIG. 64 is a bottom view of the eighth embodiment thereof.

The broken lines shown in the drawings illustrate portions of the wrist worn user interface that form no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64