



US00D767712S

(12) **United States Design Patent**
Huda et al.

(10) **Patent No.:** **US D767,712 S**
(45) **Date of Patent:** **** Sep. 27, 2016**

(54) **PUSH FILTER WITH FLOATING KEY LOCK**

7,658,840 B2 * 2/2010 Lisenko B01D 35/14
210/232

(71) Applicant: **KX Technologies LLC**, West Haven,
CT (US)

D675,705 S * 2/2013 Mallol D23/207
8,431,021 B2 * 4/2013 McCague C02F 1/001
210/167.11

(72) Inventors: **Stephen P. Huda**, Shelton, CT (US);
Michael J. Sherman, Woodbury, MN
(US); **Steven J. Haehn**, Oakdale, MN
(US); **Erik R. Klimpel**, Woodbury, MN
(US); **Sathyanarayana Jujaray**,
Bangalore (IN); **Vivek Kunwar**
Narendra Singh, Nagpur (IN)

D682,983 S * 5/2013 Mallol D23/207
8,741,137 B2 * 6/2014 Ruprecht B01D 35/30
210/232

8,894,853 B2 * 11/2014 Kim B01D 35/30
210/232

D755,344 S * 5/2016 Reckin D23/209

* cited by examiner

(73) Assignee: **KX TECHNOLOGIES LLC**, West
Haven, CT (US)

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Robert Curcio; DeLio,
Peterson & Curcio, LLC

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/533,351**

The ornamental design for a push filter with floating key
lock, as shown and described.

(22) Filed: **Jul. 16, 2015**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 14/800,725, filed on
Jul. 16, 2015.

FIG. 1 is the front perspective view of the push filter with
floating key lock according to the present invention;

(51) **LOC (10) Cl.** **23-01**

FIG. 2 is the front view of the push filter with floating key
lock of FIG. 1 according to the present invention;

(52) **U.S. Cl.**

USPC **D23/207**

FIG. 3 is the left side view of the push filter with floating key
lock of FIG. 1 according to the present invention;

(58) **Field of Classification Search**

USPC D23/207, 209; 210/497.01, 232, 282

CPC C02F 1/003; B01D 35/30

See application file for complete search history.

FIG. 4 is the right side view of the push filter with floating
key lock of FIG. 1 according to the present invention;

FIG. 5 is the backside view of the push filter with floating
key lock of FIG. 1 according to the present invention; and

FIG. 6 is the top view of the push filter with floating key lock
of FIG. 1 according to the present invention; and,

FIG. 7 is the bottom view of the push filter with floating key
lock of FIG. 1 according to the present invention.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D508,281 S * 8/2005 McClean D23/207

D609,775 S * 2/2010 Zukor D23/209

1 Claim, 3 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 7




FIG. 5