

US00D767830S

(12) **United States Design Patent**
Blair

(10) **Patent No.:** **US D767,830 S**

(45) **Date of Patent:** **** Sep. 27, 2016**

- (54) **HORSESHOE**
- (71) Applicant: **Advanced Equine Comfort, LLC**,
Highlands, NC (US)
- (72) Inventor: **Susan Blair**, Highlands, NC (US)
- (73) Assignee: **Advanced Equine Comfort, LLC**,
Highlands, NC (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/519,587**
- (22) Filed: **Mar. 6, 2015**
- (51) **LOC (10) Cl.** **30-01**
- (52) **U.S. Cl.**
USPC **D30/147**
- (58) **Field of Classification Search**
USPC D30/144, 146, 147, 148, 149, 150, 199;
D9/650; D21/387; D24/192; D2/896,
D2/897, 902, 909, 919, 943, 980; 119/174,
119/654, 798, 814, 850, 856, 863, 865;
36/58.5, 111, 122, 140; 54/82; 168/1,
168/4, 14, 17, 18, 26, 29; 473/591; 602/3,
602/5, 6, 60, 65
CPC A01L 5/00
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D177,991 S	5/1876	Cook	
609,551 A	8/1898	Lang	
1,825,186 A *	9/1931	Harsem A01L 3/00 168/14
3,236,310 A	2/1966	Quick	
D230,284 S	2/1974	Shenton et al.	
3,794,119 A	2/1974	Paiso et al.	
4,189,004 A	2/1980	Glass	
4,212,356 A	7/1980	Battle	
D271,912 S	12/1983	Kurpakus	

4,470,466 A *	9/1984	Nakanishi A01L 5/00 168/18
4,564,071 A	1/1986	Lee	
D285,499 S	9/1986	Nakanishi	
D295,907 S	5/1988	Decker	

(Continued)

OTHER PUBLICATIONS

“Easy’s Slipper Glue-On Heart Bar”. Found online May 16, 2016 at advancedequinecomfort.com. Page dated May 16, 2016. Retrieved from <http://www.advancedequinecomfort.com/order-now/heart-bar>.*

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Kendra L Hamilton

(74) *Attorney, Agent, or Firm* — McNair Law Firm, P.A.;
Seann P. Lahey


(57) **CLAIM**

The ornamental design for a horseshoe, as shown and described.

DESCRIPTION

FIG. 1 is a top rear perspective view of the horseshoe design; FIG. 2 is a top front perspective view of the horseshoe design; FIG. 3 is a front elevation view of the horseshoe design; FIG. 4 is a rear elevation view of the horseshoe design; FIG. 5 is a right side elevation view of the horseshoe design; FIG. 6 is a left side elevation view of the horseshoe design; FIG. 7 is a top plan view of the horseshoe design; FIG. 8 is a bottom plan view of the horseshoe design; FIG. 9 is a bottom front perspective view of the horseshoe design; and, FIG. 10 is a bottom rear perspective view of the horseshoe design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,892,150 A 1/1990 Thoman
 5,148,872 A 9/1992 Dallmer
 5,272,857 A * 12/1993 Logan A61D 9/00
 168/18
 D359,597 S 6/1995 Dixon
 6,062,008 A * 5/2000 Nor A01K 13/007
 54/82
 D440,363 S 4/2001 Ford
 6,516,594 B2 2/2003 Clark et al.
 7,178,321 B2 2/2007 Ruetenik
 D565,255 S 3/2008 Lander
 D580,111 S 11/2008 Lander
 D629,977 S 12/2010 Ford
 8,151,546 B2 4/2012 Ford
 D671,694 S * 11/2012 Ford D30/146
 D683,084 S 5/2013 Lander
 D685,142 S * 6/2013 Lander D30/148
 D689,246 S 9/2013 Blair et al.
 D709,656 S * 7/2014 Ruetenik D30/149

D732,752 S * 6/2015 Osborne D30/148
 D746,519 S * 12/2015 Ruetenik D30/149
 2007/0033909 A1 * 2/2007 Lustgarten A01L 7/00
 54/82
 2009/0235621 A1 * 9/2009 Ford A01L 5/00
 54/82
 2012/0118587 A1 * 5/2012 Patek A01L 7/02
 168/4
 2016/0029609 A1 * 2/2016 MacDonald A01K 13/007
 168/18

OTHER PUBLICATIONS

“Order Now: Easy’s Slipper Closed Bottom/Open Rocker”. Found online May 16, 2016 at advancedequinecomfort.com. Page dated Mar. 23, 2014. Retrieved from <https://web.archive.org/web/20140323204439/http://advancedequinecomfort.com/order-now>.
 “Non-Metal Horseshoes & Boots Product Roundup 2014”. Found online May 16, 2016 at americanfarriers.com. Page dated Nov. 10, 2014. Retrieved from <https://www.americanfarriers.com/articles/120-non-metal-horseshoes-boots-product-roundup-2014>.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10