



US00D767875S

(12) **United States Design Patent** (10) **Patent No.:** **US D767,875 S**
Elliott (45) **Date of Patent:** **** Oct. 4, 2016**

(54) **LOUVERED WALKER**
(71) Applicant: **Rand Elliott**, Oklahoma City, OK (US)
(72) Inventor: **Rand Elliott**, Oklahoma City, OK (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/518,286**
(22) Filed: **Feb. 22, 2015**
(51) **LOC (10) Cl.** **03-03**
(52) **U.S. Cl.**
USPC **D3/7**
(58) **Field of Classification Search**
USPC D3/5-17; D12/128-133; D21/673, 686,
D21/690, 694; D6/329, 681; D25/48.8, 48.4
CPC A45B 9/00; A45B 2/00; A45B 9/02;
A45B 9/04; B62B 7/08; B62B 7/12; B62B
2205/06; E04B 1/19; E04B 2001/1927;
E04C 3/34; E04C 2003/0421; E04G 1/14;
A47D 13/043; E06B 7/084; E06B 3/50
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D26,227 S * 10/1896 Selkirk et al. D25/16
1,727,969 A * 9/1929 Evans A61H 3/00
482/68
D100,703 S * 8/1936 Lewis et al. D6/332
2,556,121 A * 6/1951 Thomas A61G 5/10
280/304.1
D181,957 S * 1/1958 Callahan et al. 297/5
D197,159 S * 12/1963 Nelson et al. D25/58
3,176,700 A * 4/1965 Drury, Jr. A61H 3/00
135/67
3,195,550 A * 7/1965 Ingalls A61H 3/04
135/67
3,199,521 A * 8/1965 Ries A61H 3/00
135/67
3,273,888 A * 9/1966 Burns A61H 3/04
297/5
D208,607 S * 9/1967 Williams et al. 135/67
D213,815 S * 4/1969 Smith et al. D3/9
D213,816 S * 4/1969 Smith et al. D3/9
3,500,595 A * 3/1970 Bennett E04B 1/3483
52/223.5
3,562,973 A * 2/1971 Gangemi et al. E04B 1/3445
160/135
3,580,569 A * 5/1971 Wilson A63B 21/00047
482/23

4,161,850 A * 7/1979 Peterson E04B 2/82
16/379
D271,254 S * 11/1983 Morris D3/5
D287,046 S * 12/1986 Berg D23/387
D315,702 S * 3/1991 Van Dyke D12/133
5,058,912 A * 10/1991 Harroun A61H 3/04
135/67
D324,450 S * 3/1992 Pugh D3/10
D326,172 S * 5/1992 Bieseke D3/10
D345,855 S * 4/1994 Greenway D3/6
D359,632 S * 6/1995 Bubbb D6/643
D359,633 S * 6/1995 Bubbb D6/643
D367,327 S * 2/1996 D'Onofrio, Jr. D25/48.4
5,740,825 A * 4/1998 Brunengo A61H 3/00
135/67
D398,790 S * 9/1998 DePottey D6/332
D400,737 S * 11/1998 DePottey D25/58
D460,277 S * 7/2002 Lee D6/332
D461,235 S * 8/2002 Arlotta D23/393
6,948,727 B1 * 9/2005 Bakken A61H 3/04
135/67
D536,540 S * 2/2007 Partridge D6/332
D549,355 S * 8/2007 Gray D25/58
D559,565 S * 1/2008 Bakker D6/332
D564,949 S 3/2008 Nakagawa
D569,312 S 5/2008 Cowie

(Continued)

Primary Examiner — John Windmuller

Assistant Examiner — Steven Czyz

(74) *Attorney, Agent, or Firm* — Crowe & Dunleavy, P.C.

(57)

CLAIM

The ornamental design for a louvered walker, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a louvered walker showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;


FIG. 4 is a bottom view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a left side view thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D571,482 S * 6/2008 Wyatt D25/38.1

D636,709 S 4/2011 Cho

8,166,988 B1 * 5/2012 Martin A61H 3/04
135/66

8,597,162 B2 * 12/2013 Amonette A61H 3/008
482/66

D700,872 S 3/2014 Mograbi et al.

D728,127 S * 4/2015 Way D25/58

2010/0199562 A1 * 8/2010 Yang E06B 7/086
49/92.1

2013/0160367 A1 * 6/2013 Chen H05K 7/20181
49/92.1

2014/0031176 A1 * 1/2014 Knopow A61H 3/04
482/68

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7