



US00D767897S

(12) **United States Design Patent** (10) **Patent No.:** **US D767,897 S**
Hosler et al. (45) **Date of Patent:** **** Oct. 4, 2016**

(54) **POWERED BRUSH HANDLE**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **L’Oreal USA Creative, Inc.**, New York, NY (US)

CN 301949904 S * 6/2012
CN 302283515 S * 1/2013

(Continued)

(72) Inventors: **Travis J. Hosler**, Seattle, WA (US);
Kenneth A. Pilcher, Seattle, WA (US);
Richard A. Reishus, Renton, WA (US);
Suk P. Wong, Sammamish, WA (US)

Primary Examiner — Manpreet Matharu

Assistant Examiner — Aula Soroush

(73) Assignee: **L’Oréal USA Creative, Inc.**, New York, NY (US)

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/540,660**

The ornamental design for a powered brush handle, as shown and described.

(22) Filed: **Sep. 25, 2015**

Related U.S. Application Data

(62) Division of application No. 29/465,448, filed on Aug. 28, 2013, now Pat. No. Des. 742,647.

(51) **LOC (10) Cl.** **04-02**

(52) **U.S. Cl.**
USPC **D4/102**

(58) **Field of Classification Search**

USPC D4/100–102, 127; D24/146, 211, 214,
D24/215; D28/7, 57, 58, 63; 15/21.1, 22.1,
15/28, 29, 176.1, 176.4, 176.5, 180, 198;
601/114

CPC A46B 5/0095; A46B 7/00; A46B 7/04;
A46B 7/042; A46B 7/06; A46B 7/08; A46B
13/00; A46B 13/008; A46B 13/02; A46B
13/023; A46B 13/026; A46B 13/04; A46B
13/08; A47K 7/04; A47L 23/06; A61H
7/003; A61H 7/004; A61H 7/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D250,228 S * 11/1978 Long D4/102
D425,241 S * 5/2000 Nishizawa et al. D28/9

(Continued)

DESCRIPTION

FIG. 1 is a top front right perspective view of a powered brush handle in accordance with our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevation view thereof;
FIG. 7 is a right side elevation view thereof;
FIG. 8 is a top front right perspective view of an alternative embodiment of the powered brush handle shown in FIG. 1;
FIG. 9 is a front elevation view thereof;
FIG. 10 is a rear elevation view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a left side elevation view thereof; and,
FIG. 14 is a right side elevation view thereof.
The central, circular dashed line and the area within that line shown within the head portion in FIGS. 1, 2, 8, and 9 illustrates a portion of the powered brush handle that forms no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D500,168 S * 12/2004 Ho D28/44

D523,809 S 6/2006 Roth

7,157,816 B2 1/2007 Pilcher

D549,964 S 9/2007 Roth

7,386,906 B2 6/2008 Roth

D601,803 S * 10/2009 Reishus et al. D4/102

7,786,626 B2 8/2010 Reishus

7,789,092 B2 9/2010 Akridge

D634,268 S 3/2011 Reishus

D634,707 S 3/2011 Hosler

D635,294 S 3/2011 Hosler

D663,893 S 7/2012 Hosler

8,272,862 B2 9/2012 Pilcher

D675,829 S * 2/2013 Jakubow D4/102

D679,502 S * 4/2013 Itano et al. D4/102

D683,139 S 5/2013 Chikos

8,469,909 B2 6/2013 Pilcher

8,484,788 B2 7/2013 Brewer

FOREIGN PATENT DOCUMENTS


JP 1219513 S * 10/2004

KR 30-0336751 S * 11/2003

KR 30-0382555 S * 5/2005

KR 30-0433807 S * 12/2006

* cited by examiner






Fig.2.




Fig.3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.





Fig. 8.

Fig. 9.






Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.