



US00D768254S

(12) **United States Design Patent** (10) **Patent No.:** **US D768,254 S**  
**Geissele** (45) **Date of Patent:** **\*\* Oct. 4, 2016**

(54) **ARMORER TOOL**

(71) Applicant: **WHG Properties, LLC**, North Wales, PA (US)

(72) Inventor: **William H. Geissele**, Lower Gwynedd, PA (US)

(73) Assignee: **WHG Properties, LLC**, North Wales, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/514,275**

(22) Filed: **Jan. 9, 2015**

(51) **LOC (10) Cl.** ..... **22-01**

(52) **U.S. Cl.**  
USPC ..... **D22/108**

(58) **Field of Classification Search**  
USPC ..... D22/108; D21/85-86  
CPC ..... B25B 13/48; B25B 13/04; B25B 13/50;  
B25B 31/005; F41A 35/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

7,143,670 B2 \* 12/2006 Geary ..... B25B 13/481  
81/177.2  
7,325,469 B1 \* 2/2008 Clampitt, Jr. .... B25B 15/004  
81/436  
D614,931 S \* 5/2010 Su ..... D8/86  
8,113,297 B2 \* 2/2012 Sakakibara ..... A25F 5/02  
173/162.1  
D687,284 S \* 8/2013 Liu ..... D8/71

2010/0274298 A1\* 10/2010 Schiff ..... A61B 17/8875  
606/329  
2013/0187025 A1\* 7/2013 Lawrence ..... B25B 15/001  
249/187.1  
2014/0033590 A1\* 2/2014 Gomez ..... F41A 21/48  
42/75.02

**OTHER PUBLICATIONS**

<https://www.botach.com/kley-zion-armors-ar15-m4-barrel-spline-socket-rod/> (retrieved Jul. 10, 2015).  
<http://geissele.com/reaction-rod.html> (retrieved Jul. 10, 2015).

\* cited by examiner

*Primary Examiner* — Michael A Pratt


(57) **CLAIM**

The ornamental design for an armorer tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, left side perspective view of an embodiment of an armorer tool according to the present disclosure; FIG. 2 is a left side view of the embodiment of FIG. 1; FIG. 3 is a right side view of the embodiment of FIG. 1; FIG. 4 is a top view of the embodiment of FIG. 1; FIG. 5 is a bottom view of the embodiment of FIG. 1; FIG. 6 is a front view of the embodiment of FIG. 1; FIG. 7 is a rear view of the embodiment of FIG. 1; FIG. 8 is a front, left side perspective view of a further embodiment of an armorer tool according to the present disclosure; FIG. 9 is a left side view of the embodiment of FIG. 8; FIG. 10 is a right side view of the embodiment of FIG. 8; FIG. 11 is a top view of the embodiment of FIG. 8; FIG. 12 is a bottom view of the embodiment of FIG. 8; FIG. 13 is a front view of the embodiment of FIG. 8; and, FIG. 14 is a rear view of the embodiment of FIG. 8. The broken lines in the Figures are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14