



US00D768352S

(12) **United States Design Patent** (10) **Patent No.:** **US D768,352 S**
Sherman et al. (45) **Date of Patent:** **** Oct. 11, 2016**

(54) **CONFECTIONARY STRAND WITH SUGAR**
(71) Applicant: **KRAFT FOODS GLOBAL BRANDS, LLC**, Deerfield, IL (US)
(72) Inventors: **Jeffrey Sherman**, Whippany, NJ (US); **David Zhou**, Hamilton (CA)
(73) Assignee: **INTERCONTINENTAL GREAT BRANDS LLC**, East Hanover, NJ (US)
(**) Term: **14 Years**

(21) Appl. No.: **29/453,655**

(22) Filed: **May 1, 2013**

(51) **LOC (10) Cl.** **01-01**

(52) **U.S. Cl.**
USPC **D1/108**

(58) **Field of Classification Search**
USPC D1/100–130, 199; 426/5, 104, 249, 426/275, 660, 549, 512; D24/101–104; 273/429; D9/707, 714; D28/8.1, 4; D14/433; D11/20, 31

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D170,362 S *	9/1953	Opler	D1/121
D179,740 S *	2/1957	Nagel	D11/205
3,215,094 A *	11/1965	Oldershaw et al.	426/512
D213,675 S *	4/1969	Tymowski	D9/714
D301,794 S *	6/1989	Ballerini	D1/107
D454,511 S *	3/2002	Wills et al.	D10/70
D488,281 S *	4/2004	Min	D1/110
D593,726 S *	6/2009	Zimmermann et al.	D1/106
D619,776 S *	7/2010	Wilson et al.	D1/121
D634,233 S *	3/2011	Solomon et al.	D11/31
D658,347 S *	5/2012	Gottardi B. Maia	D1/199
D682,466 S *	5/2013	Cantelmo	D28/4
D694,988 S *	12/2013	Couttenye et al.	D1/128
D715,019 S *	10/2014	Rosenberg	D1/121
D715,020 S *	10/2014	Moore et al.	D1/121

OTHER PUBLICATIONS

Stackable Bear Pencil, Jun. 30, 2011. [online.] [retrieved on Feb. 23, 2015]. Retrieved from internet <URL: <http://www.reallygoodstuff.com/stackable-bear-pencils/p/158441/>>.*

Trolli Brite Crawlers Sour Gummy Worm, Feb. 6, 2011. [online.] [retrieved on Feb. 23, 2015]. Retrieved from internet <URL: <http://www.candywarehouse.com/products/trolli-brite-crawlers-sour-gummy-worms-635-ounce-tub/>>.*
Chriseckerdt. “Gummi Review: Sour Patch Kids, Berries.” gummiexpert. Mar. 11, 2012. Web. Nov. 14, 2015. <<https://gummiexpertwordpress.com/2012/03/11/gummi-review-sour-patch-kids-berries/>>.*
Design U.S. Appl. No. 29/453,649, filed May 1, 2013; “Confectionary Strand”.
Non-Final Office Action; Design U.S. Appl. No. 29/453,649, filed May 1, 2013; Date of Mailing Nov. 20, 2015; 6 Pages.
Requirement for Restriction/Election; Design U.S. Appl. No. 29/453,649, filed May 1, 2015; Date of Mailing: Mar. 12, 2015; 8 Pages.

* cited by examiner

Primary Examiner — Garth Rademaker

Assistant Examiner — Katie S Mroczka

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

We claim, the ornamental design for a confectionary strand with sugar, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a confectionary strand with sugar, showing our new design in an exemplary embodiment;
FIG. 2 is a front elevation view of the embodiment shown in FIG. 1;
FIG. 3 is a back elevation view of the embodiment shown in FIG. 1;
FIG. 4 is a side elevation view of the embodiment shown in FIG. 1;
FIG. 5 is a another side elevation view of the embodiment shown in FIG. 1;
FIG. 6 is a top plan view of the embodiment shown in FIG. 1;
FIG. 7 is a bottom plan view of the embodiment shown in FIG. 1;




FIG. 8 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 9 is a front elevation view of the embodiment shown in FIG. 8;

FIG. 10 is a back elevation view of the embodiment shown in FIG. 8;

FIG. 11 is a side elevation view of the embodiment shown in FIG. 8;

FIG. 12 is a another side elevation view of the embodiment shown in FIG. 8;

FIG. 13 is a top plan view of the embodiment shown in FIG. 8;

FIG. 14 is a bottom plan view of the embodiment shown in FIG. 8;

FIG. 15 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 16 is a front elevation view of the embodiment shown in FIG. 15;

FIG. 17 is a back elevation view of the embodiment shown in FIG. 15;

FIG. 18 is a side elevation view of the embodiment shown in FIG. 15;

FIG. 19 is a another side elevation view of the embodiment shown in FIG. 15;

FIG. 20 is a top plan view of the embodiment shown in FIG. 15;

FIG. 21 is a bottom plan view of the embodiment shown in FIG. 15;

FIG. 22 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 23 is a front elevation view of the embodiment shown in FIG. 22;

FIG. 24 is a back elevation view of the embodiment shown in FIG. 22;

FIG. 25 is a side elevation view of the embodiment shown in FIG. 22;

FIG. 26 is a another side elevation view of the embodiment shown in FIG. 22;

FIG. 27 is a top plan view of the embodiment shown in FIG. 22;

FIG. 28 is a bottom plan view of the embodiment shown in FIG. 22;

FIG. 29 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 30 is a front elevation view of the embodiment shown in FIG. 29;

FIG. 31 is a back elevation view of the embodiment shown in FIG. 29;

FIG. 32 is a side elevation view of the embodiment shown in FIG. 29;

FIG. 33 is a another side elevation view of the embodiment shown in FIG. 29;

FIG. 34 is a top plan view of the embodiment shown in FIG. 29;

FIG. 35 is a bottom plan view of the embodiment shown in FIG. 29;

FIG. 36 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 37 is a front elevation view of the embodiment shown in FIG. 36;

FIG. 38 is a back elevation view of the embodiment shown in FIG. 36;

FIG. 39 is a side elevation view of the embodiment shown in FIG. 36;

FIG. 40 is a another side elevation view of the embodiment shown in FIG. 36;

FIG. 41 is a top plan view of the embodiment shown in FIG. 36;

FIG. 42 is a bottom plan view of the embodiment shown in FIG. 36;

FIG. 43 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 44 is a front elevation view of the embodiment shown in FIG. 43;

FIG. 45 is a back elevation view of the embodiment shown in FIG. 43;

FIG. 46 is a side elevation view of the embodiment shown in FIG. 43;

FIG. 47 is a another side elevation view of the embodiment shown in FIG. 43;

FIG. 48 is a top plan view of the embodiment shown in FIG. 43;

FIG. 49 is a bottom plan view of the embodiment shown in FIG. 43;

FIG. 50 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 51 is a front elevation view of the embodiment shown in FIG. 50;

FIG. 52 is a back elevation view of the embodiment shown in FIG. 50;

FIG. 53 is a side elevation view of the embodiment shown in FIG. 50;

FIG. 54 is a another side elevation view of the embodiment shown in FIG. 50;

FIG. 55 is a top plan view of the embodiment shown in FIG. 50;

FIG. 56 is a bottom plan view of the embodiment shown in FIG. 50;

FIG. 57 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 58 is a front elevation view of the embodiment shown in FIG. 57;

FIG. 59 is a back elevation view of the embodiment shown in FIG. 57;

FIG. 60 is a side elevation view of the embodiment shown in FIG. 57;

FIG. 61 is a another side elevation view of the embodiment shown in FIG. 57;

FIG. 62 is a top plan view of the embodiment shown in FIG. 57;

FIG. 63 is a bottom plan view of the embodiment shown in FIG. 57;

FIG. 64 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 65 is a front elevation view of the embodiment shown in FIG. 64;

FIG. 66 is a back elevation view of the embodiment shown in FIG. 64;

FIG. 67 is a side elevation view of the embodiment shown in FIG. 64;

FIG. 68 is a another side elevation view of the embodiment shown in FIG. 64;

FIG. 69 is a top plan view of the embodiment shown in FIG. 64;

FIG. 70 is a bottom plan view of the embodiment shown in FIG. 64;

FIG. 71 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 72 is a front elevation view of the embodiment shown in FIG. 71;

FIG. 73 is a back elevation view of the embodiment shown in FIG. 71;

FIG. 74 is a side elevation view of the embodiment shown in FIG. 71;

FIG. 75 is a another side elevation view of the embodiment shown in FIG. 71;

FIG. 76 is a top plan view of the embodiment shown in FIG. 71;

FIG. 77 is a bottom plan view of the embodiment shown in FIG. 71;

FIG. 78 is a perspective view of a confectionary strand with sugar, showing our new design in another exemplary embodiment;

FIG. 79 is a front elevation view of the embodiment shown in FIG. 78;

FIG. 80 is a back elevation view of the embodiment shown in FIG. 78;

FIG. 81 is a side elevation view of the embodiment shown in FIG. 78;

FIG. 82 is a another side elevation view of the embodiment shown in FIG. 78;

FIG. 83 is a top plan view of the embodiment shown in FIG. 78; and,

FIG. 84 is a bottom plan view of the embodiment shown in FIG. 78.

The broken lines in FIGS. 8-20, 22-26, 28, 36-48 50-54, 56, 64-76, 78-82, and 84 illustrate portions of the confectionary strand with sugar that form no part of the claimed design. In addition, the dash-dot-dash lines in FIGS. 8-12, 15-19, 22-26, 36-40, 43-47, 50-54, 64-68, 71-75, and 78-82 represent the boundary of the claimed portions of the confectionary strand with sugar and form no part of the claimed design. Further, the stipple shading shown in the Figures represents contrast in appearance.

1 Claim, 36 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11



FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24



FIG. 25



FIG. 26



FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31



FIG. 32



FIG. 33



FIG. 34



FIG. 35




FIG. 36




FIG. 37




FIG. 38



FIG. 39



FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48



FIG. 49




FIG. 50




FIG. 51




FIG. 52



FIG. 53



FIG. 54



FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59



FIG. 60



FIG. 61



FIG. 62



FIG. 63




FIG. 64




FIG. 65




FIG. 66



FIG. 67



FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74



FIG. 75




FIG. 76



FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81



FIG. 82



FIG. 83




FIG. 84