



US00D768538S

(12) **United States Design Patent** (10) **Patent No.:** **US D768,538 S**
Chen et al. (45) **Date of Patent:** **** Oct. 11, 2016**

(54) **CUFFLINK**

(71) Applicant: **VIICH LLC**, Sherman Oaks, CA (US)

(72) Inventors: **Donny Chen**, Sherman Oaks, CA (US);
Frederick Li, Los Angeles, CA (US);
Franklin Shen, Lancaster, PA (US)

(73) Assignee: **VIICH LLC**, Sherman Oaks, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/526,613**

(22) Filed: **May 12, 2015**

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**

USPC **D11/222**

(58) **Field of Classification Search**

USPC D11/200–217, 222–230, 30, 3, 4, 26,
D11/27; 24/41.1–48, 66.4–66.6, 97, 100,
24/101 R, 102 PL; 63/20; D8/382–383;
362/103; 361/627; D13/182

CPC A44C 1/00; A43B 1/0036; A44B 5/00;
A44B 19/24; A44B 5/02; A44B 6/00; A44B
5/002; A44B 3/02; A44B 3/04; A41F 17/00;
F16G 11/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,602,747 A * 10/1926 Brown A44B 3/04
24/100
2,123,790 A * 7/1938 Mix A44B 5/002
24/102 PL
D111,057 S * 8/1938 Anderson D11/213

2,148,183 A * 2/1939 Bagnall A44B 5/002
24/102 PL
2,665,465 A * 1/1954 Albrecht A44B 5/002
24/97
3,080,630 A * 3/1963 Paliotta A44B 5/002
24/97
3,119,161 A * 1/1964 McNeill A44B 5/002
24/100
D263,765 S * 4/1982 Engelhardt D11/226
D274,017 S * 5/1984 Engelhardt D11/226
D397,064 S * 8/1998 Nelson D11/222
D415,068 S * 10/1999 Calvani D11/222
D547,236 S * 7/2007 Arasheben D11/222
D551,117 S * 9/2007 Edocs D11/222
D568,208 S * 5/2008 Edocs D11/222
D578,037 S * 10/2008 Edocs D11/222
9,060,571 B2 * 6/2015 Hykamp A44B 5/02
D738,833 S * 9/2015 Quintana D13/182

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna



(57) **CLAIM**

The ornamental design for a cufflink, as shown and described.

DESCRIPTION

FIG. 1 is an unassembled top perspective view of a cufflink showing our new design with the top portion of the cufflink removed from the lower portion of the cufflink; FIG. 2 is a side view thereof, with the opposite side view being identical; FIG. 3 is a top perspective view thereof; FIG. 4 is bottom perspective view thereof; and, FIG. 5 is a top perspective view of the cufflink assembled. The broken lines are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1





FIG. 2




FIG. 3




FIG. 4




FIG. 5