



US00D768779S

(12) **United States Design Patent** (10) **Patent No.:** **US D768,779 S**  
**Wajs, Jr.** (45) **Date of Patent:** **\*\* Oct. 11, 2016**

(54) **SHIRT-SHAPED BOTTLE TAG**  
(71) Applicant: **James Wajs, Jr.**, Spring Grove, IL (US)  
(72) Inventor: **James Wajs, Jr.**, Spring Grove, IL (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/550,610**  
(22) Filed: **Jan. 5, 2016**

D404,677 S \* 1/1999 Johnson ..... D11/5  
D514,214 S \* 1/2006 Green ..... D23/366  
D514,682 S \* 2/2006 Green ..... D23/366  
D525,521 S \* 7/2006 Bruns ..... D9/531  
D535,006 S \* 1/2007 Virani ..... D23/367  
D577,029 S \* 9/2008 Naqvi ..... D14/458  
D647,570 S \* 10/2011 Kahn ..... D20/23  
D685,853 S \* 7/2013 Wajs, Jr. .... D20/23  
D706,871 S \* 6/2014 Wajs, Jr. .... D20/23  
D722,115 S \* 2/2015 Wajs, Jr. .... D20/23  
D749,678 S \* 2/2016 Wajs, Jr. .... D20/23  
2006/0169796 A1\* 8/2006 Timpson ..... A61L 9/042  
239/53

\* cited by examiner

**Related U.S. Application Data**

(60) Continuation of application No. 29/511,374, filed on Dec. 10, 2014, now Pat. No. Des. 749,678, which is a continuation of application No. 29/492,335, filed on May 30, 2014, now Pat. No. Des. 722,115, which is a continuation of application No. 29/459,205, filed on Jun. 27, 2013, now Pat. No. Des. 706,871, which is a division of application No. 29/424,948, filed on Jun. 18, 2012, now Pat. No. Des. 685,853.

*Primary Examiner* — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Scherrer Patent & Trademark Law, P.C.; Stephen T. Scherrer; Monique A. Morneault

(51) **LOC (10) Cl.** ..... **19-08**  
(52) **U.S. Cl.**  
USPC ..... **D20/23**

(57) **CLAIM**

The ornamental design for a shirt-shaped bottle tag, as shown and described.

(58) **Field of Classification Search**  
USPC ..... D20/10, 19, 22–29, 40, 99; D10/106.9  
CPC ..... G09F 3/00; G09F 3/04; G09F 3/08;  
G09F 3/16; G09F 2003/0264; G09F  
2003/0266; G09F 2003/0267  
See application file for complete search history.

**DESCRIPTION**


FIG. 1 is a front view of the new design of the present invention;  
FIG. 2 is a rear view of the new design of FIG. 1;  
FIG. 3 is a right side view of the new design of FIG. 1;  
FIG. 4 is a left side view of the new design of FIG. 1;  
FIG. 5 is a top side view of the new design of FIG. 1;  
FIG. 6 is a bottom side view of the new design of FIG. 1;  
and,  
FIG. 7 is a perspective view of the new design of FIG. 1.  
In the drawings, the broken lines illustrate environment and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,275,226 A \* 8/1918 Clulee ..... G09F 3/16  
40/666  
D403,707 S \* 1/1999 Wyatt ..... D20/29

**1 Claim, 2 Drawing Sheets**






FIGURE 5




FIGURE 4




FIGURE 1




FIGURE 3




FIGURE 6




FIGURE 2




FIGURE 7