



US00D768979S

(12) **United States Design Patent**
Waters

(10) **Patent No.:** **US D768,979 S**

(45) **Date of Patent:** **** Oct. 18, 2016**

(54) **KEY RING LANYARD**

(71) Applicant: **Darnell Waters**, Laurel, MD (US)

(72) Inventor: **Darnell Waters**, Laurel, MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/540,879**

(22) Filed: **Sep. 29, 2015**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/207**; D3/215

(58) **Field of Classification Search**
USPC D3/207–212, 215; 70/456 B, 457, 458,
70/408; D13/168; D8/347, 356; D10/104;
D14/496; 206/37.1; D11/3, 200, 202
CPC A45C 11/32; A47G 29/10; A44B 15/00;
A44B 11/25; F45F 5/02; G02C 5/008;
A45F 5/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,126,729	A *	3/1964	Leopoldi	A44B 15/00 24/598.2
D309,830	S *	8/1990	Kraus	D3/207
5,015,085	A *	5/1991	May	G02C 5/008 351/156
D386,610	S *	11/1997	Wright	D3/207
5,784,760	A *	7/1998	Leitzke	F16G 11/10 24/17 B
6,036,066	A *	3/2000	Giacona, III	A45C 13/30 224/148.6
D435,961	S *	1/2001	Weinstock	D3/215
D446,641	S *	8/2001	Weinstock	D3/215
D463,104	S *	9/2002	Ames	D3/207

D506,057	S *	6/2005	MacDonald	D3/207
D510,798	S *	10/2005	MacDonald	D3/207
D619,354	S *	7/2010	Mudrick	D3/208
D634,232	S *	3/2011	Kelly	D11/3
D648,522	S *	11/2011	Gorman	D3/215
D666,807	S *	9/2012	Telge	D3/209
D677,188	S *	3/2013	Kalbach	D11/3
D677,189	S *	3/2013	Kalbach	D11/3
D679,218	S *	4/2013	Kalbach	D11/200
D681,504	S *	5/2013	Kalbach	D11/201
D682,488	S *	5/2013	Kalbach	D30/152
D699,002	S *	2/2014	Connolly	D28/73
D710,594	S *	8/2014	Vasquez	D3/207
9,265,331	B1 *	2/2016	Hoffman	A45F 5/00

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig PLLC

(57) **CLAIM**


The ornamental design for a key ring lanyard, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a key ring lanyard; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a left elevation view thereof; FIG. 5 is a right elevation view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

The cutaway symbols illustrated in break lines in the drawings indicate a symbolic break in the length of the design for the key ring lanyard indicating an indeterminate length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7