

US00D769695S

(12) **United States Design Patent** (10) **Patent No.:** **US D769,695 S**
Gleason (45) **Date of Patent:** **** Oct. 25, 2016**

(54) **SLIDING BARRIER DOCK LEVELER**

(71) Applicant: **Denis Gleason**, Bowmanville (CA)

(72) Inventor: **Denis Gleason**, Bowmanville (CA)

(73) Assignee: **Nordock, Inc.**, Bowmanville, Ontario (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/521,302**

(22) Filed: **Mar. 23, 2015**

(51) **LOC (10) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/323**

(58) **Field of Classification Search**
USPC D8/367, 354, 349, 389, 323, 380;
248/301, 302, 303, 304, 339; 24/132 R;
D6/325; D12/223
CPC A47G 1/00; F16B 2/00; A63B 27/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,685,077 A	8/1972	Wiener et al.	
3,835,497 A	9/1974	Smith	
3,882,563 A	5/1975	Smith et al.	
3,967,337 A	7/1976	Artzberger	
4,068,338 A	1/1978	Artzberger	
4,091,488 A *	5/1978	Artzberger	B65G 69/2841 14/71.7
4,110,860 A	9/1978	Neff et al.	
RE30,104 E *	10/1979	Burnham	B65G 69/2841 14/71.3
4,376,319 A *	3/1983	Bedford	B65G 69/2876 14/71.3
D289,605 S *	5/1987	Lytle	D8/381
4,847,935 A	7/1989	Alexander et al.	
4,920,598 A *	5/1990	Hahn	B65G 69/2888 14/71.1
4,928,340 A	5/1990	Alexander	
4,937,906 A	7/1990	Alexander	

(Continued)

Primary Examiner — Cynthia Underwood

(74) Attorney, Agent, or Firm — Jeffrey S. Sokol

(57) **CLAIM**

The ornamental design of a sliding barrier dock leveler, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the sliding barrier dock leveler with the lip extended, and the header plate secured to a deck and deck frame shown in broken lines;

FIG. 2 is a perspective view showing the sliding barrier dock leveler with the lip retracted to form a barrier when the leveler is in its home position, and showing the deck, deck frame and support structure in broken lines;

FIG. 3 is a top view of the sliding barrier dock leveler showing the upper surface of the lip with surface texture, and showing the deck in broken lines;

FIG. 4 is a front view of the sliding barrier dock leveler, and showing the deck frame, drive brackets and drive bar opening in broken lines;

FIG. 5 is a rear view of the sliding barrier dock leveler, and showing the deck frame, side plates, drive brackets and drive bar opening in broken lines;


FIG. 6 is a bottom view of the sliding barrier dock leveler, and showing the deck frame and drive brackets in broken lines;

FIG. 7 is a side view of the sliding barrier dock leveler showing the lip in its barrier forming position, and showing the deck, deck frame and support structure in broken lines; and,

FIG. 8 is a side view of the sliding barrier dock leveler showing the lip in its extended position, and showing the deck, deck frame and support structure in broken lines.

The side view opposite FIG. 7 is a mirror image. The deck and deck frame shown in broken lines in FIGS. 1-2, 4-5 and 7-8, the drive brackets and drive bar opening shown in broken lines in FIGS. 1 and 4-5 and the support structure shown in broken lines in FIGS. 1-2 and 4-5 represent environmental structure in order to show the claim in a condition of use and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,944,062	A	7/1990	Walker						
4,974,276	A	12/1990	Alexander						
4,977,635	A	12/1990	Alexander						
4,979,253	A	12/1990	Alexander						
5,001,799	A	3/1991	Alexander et al.						
5,040,258	A *	8/1991	Hahn	B65G 69/2888				
						14/71.3			
5,088,143	A	2/1992	Alexander						
5,097,557	A	3/1992	Salman et al.						
5,111,546	A	5/1992	Hahn et al.						
5,117,526	A	6/1992	Alexander						
5,123,135	A	6/1992	Cook et al.						
5,303,443	A	4/1994	Alexander						
5,311,628	A *	5/1994	Springer	B65G 69/2823				
						14/71.1			
5,323,503	A	6/1994	Springer						
5,396,676	A	3/1995	Alexander et al.						
5,440,772	A	8/1995	Springer et al.						
5,450,643	A *	9/1995	Warner	B65G 69/2823				
						14/69.5			
5,553,343	A	9/1996	Alexander						
D383,430	S *	9/1997	Jeffries	D12/223				
5,781,953	A	7/1998	Winter						
5,784,740	A *	7/1998	DiSieno	B65G 69/2841				
						14/71.3			
5,813,072	A	9/1998	Alexander						
5,826,291	A	10/1998	Alexander						
5,832,554	A	11/1998	Alexander						
6,125,491	A	10/2000	Alexander						
D437,282	S *	2/2001	Joll	D12/223				
6,216,303	B1 *	4/2001	Massey	B65G 69/2894				
						14/69.5			
6,317,914	B1 *	11/2001	Preston	B65G 69/2894				
						14/69.5			
6,360,393	B1	3/2002	Fritz						
6,370,719	B1	4/2002	Alexander						
6,487,741	B2	12/2002	Alexander						
D478,801	S *	8/2003	Spruill	D8/354				
6,634,049	B2	10/2003	Hahn et al.						
6,711,774	B2 *	3/2004	Hodges	B65G 69/2823				
						14/71.3			
6,769,149	B2	8/2004	Alexander						
D500,441	S *	1/2005	Senn	D8/323				
6,842,930	B2 *	1/2005	Massey	B65G 69/2888				
						14/71.1			
6,880,301	B2 *	4/2005	Hahn	B65G 69/2817				
						14/69.5			
6,912,750	B2 *	7/2005	Gleason	B65G 69/2817				
						14/71.1			
6,918,151	B2	7/2005	Massey						
7,007,905	B2 *	3/2006	Roberts	A47B 96/061				
						108/108			
RE39,404	E *	11/2006	Megens	14/71.7				
7,213,285	B2	5/2007	Mitchell						
D548,051	S *	8/2007	Ruppert	D8/354				
D568,728	S *	5/2008	Zadak	D8/380				
D579,754	S	11/2008	Gleason						
D610,434	S *	2/2010	Watts	D8/349				
D611,886	S *	3/2010	Peschmann	D12/223				
D611,887	S *	3/2010	Peschmann	D12/223				
D619,879	S *	7/2010	McCarthy	D8/354				
D631,734	S *	2/2011	Fernandez	D8/380				
D695,593	S *	12/2013	Nunez Farfan	D8/354				
D698,628	S *	2/2014	Stanley	D8/367				
D728,348	S *	5/2015	Munson	D8/354				
D748,966	S *	2/2016	Morinaga	D8/323				
D749,394	S *	2/2016	Morinaga	D8/323				
2001/0034915	A1 *	11/2001	Preston	B65G 69/2894				
						14/71.1			
2002/0092102	A1 *	7/2002	Lounsbury	B65G 69/2894				
						14/71.3			
2005/0044645	A1 *	3/2005	Gleason	B65G 69/2817				
						14/71.3			

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 3A




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8

